



THE BEST MANUFACTURER

THE BEST MANUFACTURER

Aqua-Win[®]
Pure Water System

AQUA-WIN WATER CORPORATION

No.668, Da Feng 2nd Road,
Kaohsiung, Taiwan 807, R.O.C.
TEL: +886-7-389-3888
FAX: +886-7-381-6865
E-mail: info@hibox.hinet.net
Web: www.aquawin.com.tw



Aqua-Win[®]
Pure Water System

Water
Quality

The honor of the membership in
Water Quality Association

Water
Quality

Certificate

The Best Manufacturer

AQUA-WIN WATER CORPORATION was founded by a professional water purification system team in 1992. Our products have an excellent sales performance in Taiwan. At the same time, we are the first and the best manufacturer for reverse osmosis drinking water systems in Taiwan Market. We deeply believe that we operate this company with honest and honor attitude.

AQUA-WIN has insisted that we keep excellent quality of products, competitive prices, and innovative and outstanding purification products since we founded this company. Our unique design makes instal lation easier and operation more stable. In addition, we provide customers with a variety of colors and sizes of water purifier parts to choose. The ultimate goal of this company is to provide customers with the best quality but reasonable-price products.

AQUA-WIN gain high values from domestic and international customers after we have operated the company sincerely for a long time. Because we pay attention to provide customers with stable and high-quality products, we maintain a leading position in this field. Besides, we hope to provide our customers with a complete service from value-added services, production, sales and after-sales service. We can meet the needs from an individual customer to big companies by means of a wide range of services.

AQUA-WIN WATER CORPORATION hopes to invite all domestic and international customers to contact us and establish a good business relationship with us. If you hope to survive in today' shightly competitive water market, you must have a professional and reliable supplier like us to provide you with high-quality products, competitive prices, and professional management.



CERTIFICATE of WQA MEMBERSHIP
(2005-2015)



NSF CERTIFICATE



CE CERTIFICATE



PATENT CERTIFICATE



SGS CERTIFICATE



CERTIFICATE of "AQUA-WIN" MARK
REGISTERED in the U.S.A.



ISO 9001:2008
CERTIFICATE





▶ 大型過濾系統	Water Treatment Systems	01
▶ R.O.機組	R.O. System Units	02~06
▶ 過濾器	Filtration Systems	07~08
▶ 飲水機	Water Dispensers	09~12
▶ 臭氧機	Ozonizer & 電解機 Water Ionizers	13
▶ 壓力桶	Pressure Storage Tank & 不銹鋼桶 S.S Tank.....	14
▶ 濾殼	Filter Housings	15~17
▶ 沐浴過濾器	Shower Filters	18
▶ R.O.零件	R.O. Accessories	19~22
▶ 濾材	Cartridge Filters	23~27
▶ 出水口	Faucets	28
▶ 鐵架、鐵片	Brackets	29
▶ 傳統接頭	Jaco Fittings	30
▶ 快接接頭	EZ Fittings	31~32
▶ 紫外線殺菌燈	UVC Lightings	33~34
▶ UV燈管&石英管	UV Lamp & Quartz Tube Sleeve	35

Aqua-Win[®]
Pure Water System



HY-5099

R.O. System

Aqua-Win®
Pure Water System

All-In-One Compact R.O. System

A compact system enables to efficiently produce high quality pure water with combination of reverse osmosis (R.O.) technology, quick-change filters and storage tank (2.0G). Features of easy installation, maintenance in compact systems fit your purified water needs for Home-Use. Elegantly designed for convenient portability! Everything you need is inside of this case.



The interior left view



The interior right view



Filter replacement without shutting off water switch



- Option 1 HY-5099T (Top Counter)
- Option 2 HY-5099T 400G Direct Flow



1st Stage: Twist-In Disposable PP Filter

The 5 micron sediment filter is made of 100% pure polypropylene fibers. High capacity filter removes dusts, particles and rusts.



2nd Stage: Twist-In Disposable Block Carbon Filter

This filter is composed of high-performance carbon that removes free chlorine, odor, and organic contaminants.



3rd Stage: Twist-In Disposable Block Carbon Filter

Remove again the chlorine, organic contaminants, pesticides and odor in water.



4th Stage: Aqua-Win 50G RO Membrane

This membrane removes the following hard water contaminants: lead, copper, barium, chromium..... and so on.



5th Stage: In-Line CL-10 Post Carbon Filter

The filter is designed to improve taste. It removes any residual impurities and odors from the tank and provides a finer conditioning of pure water.



- Option 3 HY-5099U (Under Counter)
- Option 4 HY-5099U 400G Direct Flow

HY-6099

R.O. System

Aqua-Win®
Pure Water System

The design of the HY-6099 system was created to fit perfectly in any kitchen environment. Its light weight and small size allows users easily to carry anywhere they want.



The view from back



Filter replacement without shutting off water switch



1st Stage: Twist-In Disposable PP Filter

The 5 micron sediment filter is made of 100% pure polypropylene fibers. High capacity filter removes dusts, particles and rusts.



2nd Stage: Twist-In Disposable Block Carbon Filter

This filter is composed of high-performance carbon that removes free chlorine, odor, and organic contaminants.



4th Stage: Aqua-Win 50G RO Membrane

This membrane removes the following hard water contaminants: lead, copper, barium, chromium..... and so on.



5th Stage: In-Line CL-10 Post Carbon Filter

The filter is designed to improve taste. It removes any residual impurities and odors from the tank and provides a finer conditioning of pure water.

HY-8099

R.O. System

Aqua-Win®
Pure Water System



Filter replacement without shutting off water switch



Quick and Easy for Installation



Three LED Displaying of "FULL", "PUMP", "POWER"



Can be raised up to height of 90° for replacement



Disposable filter makes replacement easier

This is a modern kitchen appliance that has been well designed with efficiency, high performance and convenience in mind.

It uses twist-in filters which allow users to easily insert and remove.

Its unique design makes installation easier and operation more reliable.



1st Stage: Twist-In Disposable PP Filter

The 5 micron sediment filter is made of 100% pure polypropylene fibers. High capacity filter removes dusts, particles and rusts.



4th Stage: Aqua-Win 50G RO Membrane

This membrane removes the following hard water contaminants: lead, copper, barium, chromium... and so on.



2nd Stage: Twist-In Disposable Block Carbon Filter

This filter is composed of high-performance carbon that removes free chlorine, odor, and organic contaminants.



5th Stage: In-Line CL-10 Post Carbon Filter

The filter is designed to improve taste. It removes any residual impurities and odors from the tank and provides a finer conditioning of pure water.

3rd Stage: Twist-In Disposable Block Carbon Filter

Remove again the chlorine, organic contaminants, pesticides and odor in water.

Bacteria Free

Aqua-Win®
Pure Water System




New Technology to anti-bacteria with pure water

Through passing HI-Technology for nanometer, it makes nano silver which has heavy activity, strengthen antibacterial functions.

After processing the superficial for silver particle increases sharply through nanotechnology.


The surface structure changes, and sterilization ability can lift to more 200 times.



NANOMETER SILVER FILTER

NANO-SILVER

Nano Ag+ also has the same function with the hydrogen base of sulphur sense of the protein the microbial body surface, and by oxidizing to destroy its structure to reach the excellent antibacterial efficiency.



■ NS-CL10



IN-LINE NANO-SILVER CARBON FILTER

■ NS-CL10/C




IN-LINE NANO-SILVER CARBON FILTER (CLEAR)

■ NS-RO



NANO-SILVER RO MEMBRANE

■ NS-CTO



NANO-SILVER CTO (10" / 20")

NANO-SILVER CARBON

Features: Low pressure drop, high dirt holding capacity, multiple absorbing holes, steady flow to achieve reliable performance & long life usage.

Functions: To eliminate Chloroform, VOC, harmful chemicals, bad smell, and parts of metals and pesticides.

Application: Residential, commercial & industrial range.

■ Made in Taiwan

大型過濾系統 Water Treatment Systems



800GPD/DAY

1500GPD/DAY

3000GPD/DAY

Industrial RO System

MODEL NO.	R.O.Output	R.O. Membrane
A-119	800GPD	4021X1
A-120	1500GPD	4040X1
A-120-1	3000GPD	4040X2
A-120-2	6000GPD	4040X4
A-120-3	9000GPD	4040X6

FRP VESSEL TANK

MODEL NO	TANK SIZE (D*H)	OPENING
C-290-2	6X35 (10L)	2.5"
C-290-10	7X35 (15L)	2.5"
C-290-3	8X35 (20L)	2.5"
C-290-12	9X35 (25L)	2.5"
C-290	10X35 (30L)	2.5"
C-290-5	10X47 (40L)	2.5"
C-290-6	10X54 (50L)	2.5"
C-290-7	12X52 (60L)	2.5"
C-290-8	13X54 (70L)	2.5"
C-290-9	14X47 (80L)	2.5"
C-290-11	14X65 (100L)	2.5"
C-190-13	16X65 (120L)	4"
C-190-16	18X65 (150L)	4"
C-190-14	21X62 (200L)	4"
C-190-15	24X72 (300L)	4"
C-190-18	30X72 (500L)	4"

FRP VESSEL TANK



Control Valve Type



Model No.: C-298-1
F20 RESIN CONTROL
HEAD(STARS-110V)
&(STCRS-220V)1"



Model No.: C-299-1
F20 CONTROL
VALVE(FTARS-110V)
&(FTCRS-220V)
(TIMER)1"

BRINE TANK

MODEL NO.	DESCRIPTION	REMARK	TANK SIZE
C-293	BRINE TANK#1434	WITH SALT BASE	FRP TANK ↓ 100L
C-293-3	BRINE TANK#1840	WITH SALT BASE	FRP TANK ↑ 120L



B-603
MANGANESE
GREENSAND



B-604
QUARTZ SAND



B-602-1
RESINEX ION
EXCHANGE RESIN



B-609
MAIFAN MINERAL
STONE



B-601-1
JACOBI COCONUT
SHELL ACTIVATED
CARBONS
B-601-14
COCONUT SHELL
ACTIVATED
CARBON



B-505-1
INFRARED STONE
MEDIA



B-505-2
ANTI-BACTERIAL
ALKALINE MEDIA

R.O.機組 R.O. System Units



HY-4020
4-STAGE R.O. SYSTEM (NO PUMP)
R.O. Output: 50 G.P.D.

- Model # : A-157 (10"Housing)
- Model # : A-157-1 (5"Housing)



HY-4030
5-STAGE R.O. SYSTEM (NO PUMP)
R.O. Output: 50 G.P.D.

- Model # : A-156 (Jaco Fittings)
- Model # : A-156-2 (EZ Fittings)



HY-5099U
5-STAGE COMPACT R.O. SYSTEM
(Under-Counter)
R.O.Output: 50 G.P.D.

- Model # : A-225-13 (PUMP)
- Model # : A-225-15 (NO PUMP)
- Model # : A-225-28 (400G DIRECT FLOW)



HY-6099
5-STAGE IN-LINE DISPOSABLE TYPE
RO SYSTEM (Stand Bracket)
R.O. Output: 50 G.P.D

- Model # : A-102-9
(NO WATER PRESSURE GAUGE) (PUMP)
- Model # : A-102-6
(WATER PRESSURE GAUGE) (PUMP)
- Model # : A-102-8 (WATER PRESSURE GAUGE)
(PUMP) (AUTO FLUSH)



HY-5099T
5-STAGE COMPACT R.O. SYSTEM
(Top-Counter)
R.O. Output: 50 G.P.D.

- Model # : A-225-14 (PUMP)
- Model # : A-225-16 (NO PUMP)
- Model # : A-225-31 (400G DIRECT FLOW)



• Model # : A-102-7
(NO WATER PRESSURE GAUGE) (NO PUMP)



HY-8090 NP
5-STAGE IN-LINE DISPOSABLE TYPE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-225-23 (NO PUMP)

HY-8099
5-STAGE IN-LINE DISPOSABLE TYPE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-225-17 (PUMP)



HY-7034
CASING STYLE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-107-12 (NO PUMP)
• Model # : A-107-5 (PUMP)



HY-8030
MODERN TYPE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-226-2 (NO PUMP)

HY-8035
MODERN TYPE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-225-4 (PUMP)(push in Type)
• Model # : A-225-2 (PUMP)(Screw Type)



HY-6034-B
MODERN STAND 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-105-8 (NO PUMP)

HY-6034-A
MODERN STAND 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-105-7 (PUMP)



HY-3034 (Double O-ring)
5-STAGE RO SYSTEM (WITH PUMP)
(WITH SOLENOID VALVE)
R.O. Output: 50 G.P.D.
• Model # : A-101-7



HY-5034
5-STAGE RO SYSTEM (WITH PUMP)
(MANUAL FLUSH)(PUMP SIDE-HANG)
R.O. Output: 50 G.P.D.
• Model # : A-105



HY-6030
IN-LINE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-105-4 (NO PUMP)

HY-6034
IN-LINE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
• Model # : A-105-3 (PUMP)



5-STAGE RO SYSTEM WITH PUMP
R.O. Output: 50 G.P.D.
HY-3032
• Model # : A-101-4 (4-Way Valve)
• Model # : A-101-6 (4-Way Valve) (EZ Fittings)
HY-3034
• Model # : A-102 (Solenoid Valve)



HY-3036
5-STAGE RO SYSTEM (WITH PUMP)
(AUTO FLUSH)
R.O. Output: 50 G.P.D.
• Model # : A-106-1



HY-5036
5-STAGE RO SYSTEM WITH PUMP
(AUTO FLUSH)(PUMP SIDE-HANG)
R.O. Output: 50 G.P.D.
• Model # : A-106



HY-5037
STAND TYPE 5-STAGE RO SYSTEM
WITH PUMP (STAND BRACKET)
R.O. Output: 50 G.P.D.

- Model # : A-113-1 (No IC Box)
- Model # : A-106-3 (Auto Flush)
- Model # : A-107 (Auto Flush and TDS)



HY-3035
STAND TYPE 5-STAGE RO SYSTEM
WITH PUMP (WATER PRESSURE GAUGE)
R.O. Output: 50 G.P.D.

- Model # : A-103-4



COMMERCIAL 5-STAGE
STAND TYPE RO SYSTEM
WITH PUMP (20")

HY-8400
R.O. Output: 400 G.P.D.
• Model # : A-117-4 (400G *1)

HY-8800
R.O. Output: 800 G.P.D.
• Model # : A-100-111 (400G *2)



HY-8150
COMMERCIAL 5-STAGE RO SYSTEM
WITH PUMP (20")
R.O. Output: 150 G.P.D.

- Model # : A-114 (Manual Flush)
- Model # : A-114-2 (Manual Flush)(Stand Bracket)
- Model # : A-114-1 (Auto Flush)
- Model # : A-114-3 (Auto Flush)(Stand Bracket)



HY-5500G
4-STAGE DIRECT FLOW RO UNIT 500 GPD

- Model # : A-100-114



HY-6500G
5-STAGE 400G DIRECT FLOW RO SYSTEM
(400G MEMBRANE 3012 *1)

- Model # : A-102-13



DEMO KIT
4-STAGE R.O. SYSTEM

- *** Pressure Gauge is Optional
- *** T.D.S. is Optional
- *** Electronic Color Tester is Optional
- R.O. Output: 50 G.P.D.
- Model # : A-107-8 (220V)
- Model # : A-107-18 (110V)



Direct Flow R.O. System
5-STAGE R.O. SYSTEM WITH
PUMP (STAND BRACKET)
(PRESSURE GAUGE)

- Model # : A-100-103
R.O. Output: 400 G.P.D.



20" BIG FAT 3-STAGE WATER PURIFIER(1NPT)

A-190-2
(METAL BRACKET)

A-190-6
(STAINLESS STEEL BRACKET)
(PP, CTO and GAC available)



10" BIG FAT WATER PURIFIER (1NPT)

A-190-3
3-STAGE (METAL BRACKET)

A-190-1
2-STAGE (METAL BRACKET)

A-190-7
2-STAGE (STAINLESS STEEL BRACKET)
(PP, CTO and GAC available)



20" BIG FAT 2-STAGE WATER PURIFIER(1NPT)

A-190 (METAL BRACKET)

A-190-4 (METAL BRACKET)
(PRESSURE GAUGE*2)

A-190-5 (STAINLESS STEEL BRACKET)
(PP, CTO and GAC available)



3-STAGE WATER PURIFIER

A-122 10"

A-161 20"

(PP, CTO and GAC available)
In-Out Size: 3/8" & 1/4" & 1/2"
(OPTIONAL)



A-179-1

3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*2)



A-179-2

3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*2)

A-179-5
3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*2/HOUSING*1)

A-179-3
2-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*1)



TWIST-IN DISPOSABLE WATER PURIFIER (WITH WATER STOP VALVE)

A-124-5 3-STAGE

A-124-7 2-STAGE

(PP, CTO and GAC available)



A-122-6

3-STAGE WATER PURIFIER

A-121-3

2-STAGE WATER PURIFIER

A-121-1

1-STAGE WATER PURIFIER

(PP, CTO and GAC available)



A-122-7

3-STAGE IN-LINE WATER PURIFIER (DISPOSABLE)

(PP, CTO and GAC available)



A-124-9

SINGLE STAGE DISPOSABLE WATER PURIFIER

(WITH WATER STOP VALVE)

(C-934-4 L FAUCET IS OPTIONAL)



A-124-8

2-STAGE STAGE DISPOSABLE WATER PURIFIER

(WITH WATER STOP VALVE)

(C-934-4 L FAUCET IS OPTIONAL)



A-124-6

3-STAGE STAGE DISPOSABLE WATER PURIFIER

(WITH WATER STOP VALVE)

(C-934-4 L FAUCET IS OPTIONAL)



B-312-7

HY-UF-1000 STAINLESS STEEL UF WATER FILTER (1,000L/H) 1/2"

B-312-8

HY-UF-1500 STAINLESS STEEL UF WATER FILTER (1,500L/H) 3/4"

B-312-2

HY-UF-2000 STAINLESS STEEL UF WATER FILTER (2,000L/H) 3/4"

B-312-9

HY-UF-2500 STAINLESS STEEL UF WATER FILTER (2,500L/H) 3/4"



919C-A / 919HW-R

Model	Product	Temp-type	Heating Capacity/Hour
A-130	919C-A	Three-temp. (Cold / Warm / Hot)	12L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
20L / Hr or More	20 L/hr	40x33x52	

Model	Product	Temp-type	Heating Capacity/Hour
A-131-1	919HW-R	Two-temp. (Warm / Hot)	12L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
20L / Hr or More	*	40x33x52	



AW-1001
AW-2001
AW-1001C

Model	Product	Temp-type	Heating Capacity
A-164-6	AW-1001	Two-temp. (Cold / Hot)	4 L
Warm Capacity	Chilling Capacity	Dimension (CM)	
*	3 L	43x32x65	

Model	Product	Temp-type	Heating Capacity
A-164-4	AW-2001	Two-temp. (Warm / Hot)	5 L
Warm Capacity	Chilling Capacity	Dimension (CM)	
	*	43x32x65	

Model	Product	Temp-type	Heating Capacity
A-164-7	AW-1001C	Two-temp. (Cold / Warm)	*
Warm Capacity	Chilling Capacity	Dimension (CM)	
	3 L	43x32x65	



AW-815

Model	Product	Temp-type	Heating Capacity/Hour
A-136-8	AW-815	One-temp. (Hot)	4 L
Warm Capacity	Chilling Capacity	Dimension (CM)	
*	*	23x23x41	



929-CR

Model	Product	Temp-type	Heating Capacity/Hour
A-132-9	929-CR	Three-temp. (Cold/Warm/Hot)	12L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
20L / Hr or More	20 L/hr	40x33x105	



CW-598

Model	Product	Temp-type	Heating Capacity/Hour
A-132-10	CW-598	Two-temp. (Cold/Hot)	12L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
*	20 L/hr	33x35x95	



CW-698

Model	Product	Temp-type	Heating Capacity/Hour
A-132-11	CW-698	Two-temp. (Cold/Hot)	12L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
*	20 L/hr	33x35x105	



D406

Model	Product	Temp-type	Heating Capacity
A-136-4	D406	Three-temp. (Cold / Warm / Hot)	5 L
Warm Capacity	Chilling Capacity	Dimension (CM)	
	4 L	44x50x130	

飲水機 Water Dispensers



AW-1005
AW-2005

Model	Product	Temp-type	Heating Capacity
A-164-3	AW-1005	Two-temp. (Cold / Hot)	6 L
Warm Capacity		Chilling Capacity	Dimension (CM)
*		4 L	43x32x110

Model	Product	Temp-type	Heating Capacity
A-164-5	AW-2005	Two-temp. (Warm / Hot)	6 L
Warm Capacity		Chilling Capacity	Dimension (CM)
*		*	43x32x110



AW-7861

Model	Product	Temp-type	Heating Capacity
A-184	AW-7861	Tree-temp. (Warm / Hot / Cold)	20 L
Warm Capacity		Chilling Capacity	Dimension (CM)
7 L		3 L	42x47x126



AW-861

Model	Product	Temp-type	Heating Capacity
A-182	AW-861	Two-temp. (Hot / Cold)	6 L
Warm Capacity		Chilling Capacity	Dimension (CM)
*		4 L	41x42x67

臭氧機 Ozonizer & 電解機 Water Ionizers



HY-2000
AIR AND FOOD DETOXYFING
OZONIZER
• Model No.: A-148-4
Ozone Output : 150-200mg/Hour.



HY-330
TOP-COUNTER WATER IONIZER
• Model No.: A-125-10
(3 foils and 2 slots)
(alkaline X 4 sections)
(acid X 1 section)
(clean water X 1 section)
Replacement of HY-330: B-313-3



HY-377
TOP-COUNTER WATER IONIZER
• Model No.: A-125-12
(3 foils and 2 slots)
(7 Color Display & 8-inch Infrared Touch Screen)
(PH · O.R.P · Flow Volume and Cleaning Display)
(alkaline X 4 sections)(acid X 2 sections)
(pure water X 1 section)
Replacement of HY-377: B-313-7



HY-720
UNDER-COUNTER WATER IONIZER
• Model No.: A-125-7
(3 foils and 2 slots)
(alkaline X 4 sections)
(acid X 1 section)
(clean water X 1 section)
Replacement of HY-720: B-313-5

壓力桶 Storage Tanks & 不銹鋼桶 S.S Tank



Water Storage Tank	
Part No	Product name
C-102	2.0GAL STEEL TANK-WHITE (1/4" NPT)
C-101-1	2.2GAL STEEL TANK-WHITE (1/4" NPT)
C-101-3	2.2G WHITE PLASTIC TANK (1/4" NPT)
C-103	3.2GAL STEEL TANK-WHITE (1/4"NPT)
C-104	3.2GAL STEEL TANK-BLUE (1/4"NPT)
C-100	5GAL PLASTIC TANK-WHITE 1/4" NPT (19L)
C-100-1	5GAL PLASTIC TANK-BLUE 1/4" NPT (19L)
C-108	5.5GAL STEEL TANK-BLUE 1/4"NPT
C-108-2	5.5GAL STEEL TANK-WHITE (1/4" NPT)
C-110	11GAL STEEL TANK-BLUE (1" BSP)
C-110-1	11GAL STEEL TANK-WHITE (1" BSP)
C-118-1	20GAL STEEL TANK-WHITE (1" BSP)
C-118-3	28GAL STEEL TANK (1" BSP)
C-118-4	40GAL STEEL TANK (1" BSP)
C-118-2	82GAL STEEL TANK (310 LITERS) (EG TANK VALVE INCLUDED)



Stainless Steel Tank for the Softener	
Part No	Product name
C-112-8	STAINLESS STEEL TANK FOR THE SOFTENER(4L) 120X370MM
C-118-9	STAINLESS STEEL TANK FOR THE SOFTENER(9L) 150X485MM
C-118-10	STAINLESS STEEL TANK FOR THE SOFTENER(13L) 150X720MM
A-159	WATER SOFTNER (STAINLESS STEEL) (1/4") 150X450MM
A-160	WATER SOFTNER (STAINLESS STEEL) (1/2") 150X590MM
A-161-1	WATER SOFTNER (STAINLESS STEEL) (1/2") 150X650MM

Stainless Steel =S.S



HIGH BASE

Stainless Steel Water Tower	
Part No	Product name
C-116	200 LITERS TANK WITH HIGH BASE (60X220MM)
C-116-1	200 LITERS TANK WITH S.S. HIGH BASE (60X220MM)
C-113	200 LITERS TANK WITH LOW BASE (60X160MM)
C-113-1	200 LITERS TANK WITH S.S. LOW BASE (60X160MM)
C-114	300 LITERS TANK WITH LOW BASE (75X160MM)
C-115	500 LITERS TANK WITH S.S. LOW BASE (90X160MM)
C-115-1	1,000 LITERS TANK WITH S.S. LOW BASE (90X160MM)



Wall Mounted S.S Tank	
Part No	Product name
C-112	9 LITERS TANK (FAUCET & TUBE INCLUDED)180*425 MM
C-112-1	12 LITERS TANK (FAUCET & TUBE INCLUDED)180*510 MM

濾殼 Filter Housings



RO MEMBRANE
WHITE HOUSING
C-267 50-200GPD
C-267-10 500GPD



CONE HOUSING 1/4"
(W)70MM(L)320MM
B-302-17
CLEAR HOUSING
B-302-7
WHITE HOUSING



EMPTY SHELL (3/4")
A-189-13
(WASHING MACHINE FILTER)
(C-275 14 POLY PHOSPHATE
CRYSTAL IS OPTIONAL)



10" EMPTY SHELL (YELLOW CAP)
B-302-13 CLEAR HOUSING
B-302-11 WHITE HOUSING

10" EMPTY SHELL (BLUE CAP)
B-302-12 CLEAR HOUSING
B-302-6 WHITE HOUSING

10" EMPTY SHELL (GREEN CAP)
B-302-14 CLEAR HOUSING
B-302-15 WHITE HOUSING



BIG FAT EMPTY SHELL (GREEN CAP)
B-304-6 10" BIG FAT (WHITE HOUSING)
B-304-2 20" BIG FAT (WHITE HOUSING)
B-304-12 10" BIG FAT (CLEAR HOUSING)
B-304-13 20" BIG FAT (CLEAR HOUSING)



THE FILLING EMPTY SHELL (1/4")
(W)70MM(L)300MM
C-308-8 CLEAR SHELL
C-308-9 WHITE SHELL



THE FILLING EMPTY SHELL (1/4")
(W)50MM(L)270MM
B-302-3 CLEAR SHELL
C-302-6 YELLOW SHELL
B-302-2 WHITE SHELL
B-302-9 GREEN SHELL
B-302-20 5" SHELL (EZ)
B-302-21 5" SHELL

濾殼 Filter Housings

※ ALL FILTER HOUSINGS IN THE FOLLOWING CONTAIN "PRESSURE RELIEF"



20" BIG FAT BLUE HOUSING
C-132-1 1" C-132-4 1.5"
C-132-6 1" (DOUBLE O-RING)
C-132-15 1" (COPPER THREAD)
C-132-10 1" (WHITE HOUSING)



20" BIG FAT CLEAR HOUSING
C-132-12 1" C-139 1.5"
C-132-8 1" (DOUBLE O-RING)
C-132-16 1" (COPPER THREAD)



10" BLUE BIG FAT HOUSING
C-132-2 1" C-132-5 1.5"
C-132-7 1" (DOUBLE O-RING)
C-132-13 1" (COPPER THREAD)
C-132-9 1" (WHITE HOUSING)



10" CLEAR BIG FAT HOUSING
C-132-11 1" C-139-1 1.5"
C-132-14 1" (COPPER THREAD)



20" WHITE HOUSING
C-131-2 3/8" C-129-2 1/2"
C-129-3 3/4"



20" CLEAR HOUSING
C-130-2 3/8" C-129-4 1/2"
C-133 3/4"



20" BLUE HOUSING
C-129 3/8" C-130 1/2"
C-131 3/4"



20" CLEAR HOUSING
C-130-3 3/8" C-130-1 1/2"
C-131-1 3/4"



10" KFC FAT CLEAR HOUSING
C-135 1/2" C-137 3/4"



10" KFC FAT BLUE HOUSING
C-134 1/2" C-136 3/4"
C-134-1 3/8"



10" YT CLEAR HOUSING
C-123-2 1/4"
C-138-5 1/2"
C-121-2 3/8"



10" YT WHITE HOUSING
C-124-2 1/4"
C-138-6 1/2"
C-121-4 3/8"



10" EG CLEAR HOUSING
C-141-3 1/4"
C-141-4 1/2"
C-141-2 3/8"



10" EG WHITE HOUSING
C-141-5 1/4"
C-141-8 1/2"
C-141-1 3/8"



10" EG CLEAR HOUSING
(DOUBLE O-RING)
C-141-6 1/4"
C-141-9 1/2"



10" EG WHITE HOUSING
(DOUBLE O-RING)
C-141-7 1/4"
C-141-13 1/2"



10" CLEAR HOUSING
C-121-5 1/4"
C-138-1 1/2"
C-121 3/8"
C-138-4 3/4"



10" BLUE HOUSING
C-121-6 1/4"
C-138 1/2"
C-122-2 3/8"



CANDLE TYPE HOUSING
(SPIRAL TYPE AS 3/8")
C-128-9
CLEAR HOUSING
C-128-10
WHITE HOUSING



CANDLE TYPE HOUSING
(INSERT TYPE)
C-128-11
CLEAR HOUSING
C-128-12
WHITE HOUSING



5" BLUE HOUSING
C-126-1 1/4"
C-125-4 1/2"
5" WHITE HOUSING
C-126-2 1/4"
C-126-3 1/2"



5" CLEAR HOUSING
C-125-1 1/4"
C-125-3 1/2"
C-125-2 1/4"
(WHITE CAP)
C-126-8 1/2"
(WHITE CAP)



5" WHITE HOUSING
C-126-4 1/4"
C-126-5 1/2"
5" CLEAR HOUSING
C-126-7 1/4"
C-126-6 1/2"

沐浴過濾器 Shower Filters



A-181-5
EASY INSTALLATION 4 IN 1
SHOWER FILTER (FAMILY MEMBER 3-5)



A-189-3
SHOWER FILTER SET
(KDF+CARBON+CASO3)



A-189-4
THE REPLACEMENT OF
SHOWER FILTER SET

[BACTERIA FREE]



A-121-6
SINGLE STAGE UF
WATER PURIFIER



A-122-9
1 STAGE CERAMIC
WATER PURIFIER



A-181-6
AQ-HSF-02 HANDHELD
CLEAR SHOWER SPRAY FILTER
(TOURMALINE & DECHLORINATION)



A-181-7
AQ-HSF-03 HANDHELD
BLUE SHOWER SPRAY FILTER
(TOURMALINE & DECHLORINATION)



A-181-8
AQ-HSF-05 HANDHELD
BLUE SHOWER SPRAY FILTER
(TOURMALINE & DECHLORINATION)



A-181-14
THE BLUE REPLACEMENT OF
AQ-HSF SHOWER SPRAY FILTER
(MEDIA INCLUDED)



A-181-15
THE CLEAR REPLACEMENT OF
AQ-HSF SHOWER SPRAY FILTER
(MEDIA INCLUDED)



A-181-9
SHOWER FILTER SET (KDF+CARBON+CASO3)
(HOUSING IN ABS) AQ-SF-08



A-181-10
THE REPLACEMENT FOR
AQ-SF-08 SHOWER FILTER SET
(KDF+CARBON+CASO3)



C-152
6080 FAIRY WATER PUMP
(1.2LPM/125PSI)



C-152-6
6088 AQUA-WIN PUMP
(1.2LPM/125PSI)



C-151-1
HIGH FLOW PUMP
110VAC



C-154
8005 HIGH FLOW PUMP
(150PSI)36VDC/48VDC



C-152-1
TWIN BOOSTER PUMP
(50LPM)(48VDC)(150PSI)



C-286
TRIANGLE DIAPHRAGM
(FOR 6088 & 6080 PUMP)



C-214
LOW PRESSURE
SWITCHES(1/4"NPT)



C-214-1
EZ LOW PRESSURE
SWITCHES(1/4"NPT)



C-212-2
HIGH PRESSURE
SWITCHES(1/4"NPT)



C-212-3
EZ HIGH PRESSURE
SWITCHES(1/4"NPT)



SOLENOID VALVE 1/4"
C-216-7 (110V)
C-216-9 (220V)
C-216-10 (DC24V)
C-216-13 (110V) (EZ)
C-216-14 (DC24V) (EZ)



SOLENOID VALVE / AC 1/4"
C-216 (110V)
C-216-1 (220V)
C-216-3 (DC24V)



SOLENOID VALVE / AC 1/4"
C-217 (110V) 3/8"
C-217-1 (220V) 3/8"
C-218-4 (110V) 1/2"
C-219 (110V) 3/4"
C-220-2 (110V) 1"PT



C-265-3
AUTOMATIC SHUT-OFF
VALVES (1/4"NPT)



C-265-2
EZ AUTO SHUT-OFF
VALVES (1/4"NPT)



C-275-15
PORTABLE PH TESTER
(WATERPROOF)



C-275
PORTABLE TDS-3 TESTER
(MADE BY HM DIGITAL)



C-294
PORTABLE TANK
PRESSURE TESTER



IC CONTROLLER (NO LED) (AUTO FLUSH)
C-237 (110V)
C-237-1 (220V)



TDS DISPLAY IC CONTROLLER (AUTO FLUSH)
C-239-2 (110V)
C-239-4 (220V)



HOUSING SPANNER WRENCHES (O TYPE)
C-272 (For 10")
C-274-2 (For 10" & 20" BIG FAT)
C-272-2 (For 400G RO HOUSING)
C-128-21 (FOR HY-8035)



HOUSING SPANNER WRENCHES (O TYPE)
C-274-1 (For 20")
C-273-1 (For 10") (MEDIUM HOUSING)
C-274-3 (FOR 10" & 20" BIG FAT)



C-272-1
HOUSING SPANNER
WRENCHES



SINGLE CLAMP
C-231 (SMALL 2")
C-233 (BIG 2.5")
C-233-2 (For 400G MEMBRANE HOUSING)
C-235 (FOR FLOW RESTRICTOR)



DOUBLE CLAMP
C-232 (2"/2.5")
C-233-1 (2.5"/2.5")
C-234 (2"/2")
C-233-3 (For 400G MEMBRANE HOUSING+ POST CARBON)



PUMP TRANSFORMER
C-159 (36VDC/110V)
C-159-1 (36VDC/220V)
C-156 (24VDC/110V)
C-157-2 (24VDC/220V)
C-160 (48VDC/110V/1.8A)
C-160-1 (48VDC/220V/1.8A)



**THE CAP OF EVER
FILTER (BLACK)**
(MADE IN TAIWAN)
A-519-2 (STEEL RING)
A-519-7 (PLASTIC RING)



**THE CAP OF
EVERPURE FILTER (SILVER)**
(MADE IN TAIWAN)
A-519-11 (RING)
A-519-12 (NO RING)



C-173
THE CAP OF 6088
& 8080
PUMP (1041X)



PAE EG TANK BALL VALVE
C-226-1 (1/4")
C-226-2 (3/8")



C-225
PVC FLUSH VALVE
(1/4" NPT)



C-285-3
DRAIN CLAMP 1/4"
(EZ)



C-285-2
DRAIN CLAMP
(1/4")



ELECTRONIC COLOR TESTER (110V/220V)
C-278 (2 FLAT PINS)
C-278-3 (2 ROUND PINS)



C-264-1
WATER CUT-OFF
AND FLOW RATE
ADJUSTOR (3/8")



C-291-9
CUT-DOWN
PRESSURE
VALVE (PLASTIC)
1/4"NPT



CUT-DOWN PRESSURE VALVE (COPPER)
(1/4") C-291-4
(1/2") C-291-10



C-291-14
CUT-DOWN
PRESSURE
VALVE (PLASTIC)
1/4"NPT



C-171
THE CAP OF C-169-1
1/2 HP PUMP
(PROCOM HEAD)
CO1504X"



C-172
THE HEAD OF C-170 1 HP
PUMP (PROCOM CAP)
2507X"



BOOSTER PUMP (INNER REVOLUTION)
C-169-1 (1/2HP) (110V/220V/60HZ)
C-170 (1HP) (1-WAY CIRCUIT) (110V/220V/60HZ)
C-170-4 (3HP) (3-WAY CIRCUIT)



RAW WATER PRESSURIZED PUMP
C-174 (1/2HP)
C-174-1 (1/4HP)



WATER PRESSURE GAUGE
C-304-6
 1.5"(10KG) (1/8") (EZ)
C-304-7
 2.5"(10KG) (1/4")
 (For FEED WATER)
C-304-11
 2.5"(15KG) (1/4")
 (For OPERATING)



WATER PRESSURE GAUGE (1/4")
C-304 (10KG) (150PSI)
C-304-1 (20KG) (300PSI)



C-304-12
WATER PRESSURE GAUGE
 (10KG/150PSI*1/8"PT)



C-304-2
WATER PRESSURE GAUGE (10KG/PSI)
 (1/8"NPT)



DIGI-FLOW WATER CAPACITY & TIMING SETTING
C-263-4 (3/8")
C-263-6 (3/4")
C-263-7 (1/4")



FLOW METER
C-262 2GPM (10LPM)
C-263 5GPM (20LPM)
C-264 10GPM (40LPM)
C-263-1 16GPM (64LPM)
C-263-2 20GPM (80LPM)



C-229
BRASS BALL VALVE
 1/4" NPT



C-230
BRASS BALL VALVE
 3/8" NPT



C-229-1
BRASS BALL VALVE 1/4"
 NPT (1/2"1/4")
C-230-1
BRASS BALL VALVE 3/8"
 NPT (1/2"3/8")



C-901-3
UNIVERSAL FAUCET ADAPTOR 2.24"22MM



RUBBER FAUCET ADAPTOR
C-901-1 (WHITE)
C-901-9 (BLACK)



C-938
FAUCET ADAPTER
 1/2"



C-289-2
SHOWER ADAPTER
 (1/2" FEMALE THREAD)
 (45° ANGLE)



C-933-1
L TYPE COPPER CONNECTOR
 (1/4" NPT)
 (3/8" STEM)



C-933-3
L TYPE COPPER CONNECTER 1/4"



C-228
FAUCET ADAPTER
 (1/4"; 3/4")



FAUCET ADAPTER
C-227 (1/4", 1/2") (62MM)
C-227-4 (1/4", 3/8") (38MM)
C-227-3 (1/4", 3/8") (62MM)



STAINLESS STEEL MIXER VALVE 1/4"
C-283-3 (EZ)
C-283-2 (JACO)



C-283-6
ROUND CAP STAINLESS STEEL MIXER VALVE 1/4"



C-283-5
INLET CROSS ADAPTER (1/4")



C-230-4
CONTROL VALVE 1/4"



SINGLE WAY SWITCH
C-930-9 (1/4")
C-930-2 (3/8")



DOUBLE WAY SWITCH
C-930-1 (3/8")
C-930-8 (1/4")



C-930-7
DOUBLE-WAY SWITCH + CAP (1/4")



A-158-4
5-WAY VALVE
A-158-6
MANUAL 3-WAY VALVE
 (BORE: 2.5") (IN/OUT: 1")
 (1 IN 2 OUT)



2-WAY VALVE
C-289 (BORE: 2.5")
 (IN-OUT 1")
C-289-6 (BORE: 4")
 (IN-OUT 1.5")



FLOW RESTRICTOR (1/4") (@60 PSI)
C-222 (300)
C-221 (400)
C-224 (550)
C-224-3 (600)



FLOW RESTRICTOR (1/4") (@60 PSI) OUTER THREAD
C-222-1 (300)
C-221-1 (400)
C-224-9 (500)
C-224-10 (600)
C-222-12 (800)
C-222-4 (1000)



EZ FLOW RESTRICTOR (1/4")
C-222-10 (300)
C-222-5 (350)
C-221-5 (400)
C-224-6 (500)
C-222-11 (550)
C-224-5 (600)



PVC FLUSH VALVE & FLOW RESTRICTOR
C-225-7 (250)
C-225-9 (300)
C-225-6 (400)
C-225-10 (500)
C-225-8 (600)
C-225-11 (700)



PLASTIC TUBE 300M
C-244 WHITE (1/4")
C-245 BLUE (1/4")
C-244-3 BLACK (1/4")
C-244-4 RED (1/4")
C-244-5 YELLOW (1/4")
C-244-7 GREEN (1/4")
C-244-8 ORANGE (1/4")

150M
C-246 WHITE (3/8")
C-247 BLUE (3/8")
C-247-4 ORANGE (3/8")



C-936
TUBING CUTTER



C-230-2
NEEDLE VALVE 1/4" (2 BARS)



C-230-3
NEEDLE VALVE 1/4"



B-103-2 5" PP (5U)
B-103-8 10" PP (5U)
B-103-13 10" PP (5U)NSF
B-119-8 20" PP (5U)
B-119-12 20" PP (5U)NSF
B-127 30" PP (5U)
B-129 40" PP (5U)



B-103-3 5" PP (1U)
B-104-1 10" PP (1U)
B-101-5 10" PP (1U)NSF
B-119-9 20" PP (1U)
B-119-13 20" PP (1U)NSF
B-128 30" PP (1U)
B-130 40" PP (1U)



PP FURROW
B-125-6 10" (5U)
B-125-7 10" (1U)
 PP LINE
B-125-2 10" (5U)
B-125-5 10" (1U)
B-174-7 20" (5U)
B-127-1 20" (1U)



PLEATED DEPTH
 FILTER
B-105-1 10"
B-105-15 20"



WOUND FILTER
B-116 10"
B-116-1 20"



PURTREX PP FILTER
 (MADE in USA)
B-101-2 10" PX-5M
B-101-3 10" PX-1M
B-123 20" PX-5M
B-124 20" PX-1M



B-220-1
 10" DOUBLE-DECKED
 PP & CARBON FILTER
 (RAISED END SIDE)



B-219
 10" DOUBLE-DECKED
 PP & CARBON FILTER
 (FLAT 2 SIDE)



ABSOLUTE FILTER
 (0.45M)
B-105-10 10"
B-105-8 20"



UDF GRAIN CARBON
 FILTER
B-203-2 10"
B-223 20"



B-204-1
 10" GAC GRAIN
 CARBON FILTER



B-204
 10" T33/934 GRAIN
 CARBON FILTER



T33 GRAIN
 CARBON FILTER
B-204-2 10"
B-222-1 20"



B-205
 10" OMNIPURE
 CCB934/T33
 GRAIN FILTER
 (MADE in USA)



B-202
 10" T33/OCB GRAIN
 CARBON FILTER



B-601-7
 10" BAMBOO
 CARBON FILTER



KKS BLOCK
 CARBON FILTER
B-201-3 10"
B-224-20 20"



KA BLOCK
 CARBON FILTER
B-208-6 5"
B-210-5 10"
B-224-14 20"



B-210
 10" KA BLOCK
 CARBON FILTER
 (NSF)



MATRIX CTO/2
 CARBON
 (MADE in SINGAPORE)
B-210-15 10"



Filter replacement without shutting off water switch



C-143-12

TWIST-IN
 DISPOSABLE FILTER
B-217-12 PP (TRANSLUCENT)
B-217-13 PP
B-217-14 GAC/UDF GRAIN CARBON
B-217-15 BLOCK CARBON
B-217-16 RESIN
C-143-12 THE CAP

B-217-18 UF
B-217-21 UF (TRANSLUCENT)
B-217-19 RO MEMBRANE
B-217-20 DI (WATER 0 PPM)
B-217-22 PH



K33 DISPOSABLE
 CARBON FILTER
B-217-2
B-218-7 (EZ)



K33 DISPOSABLE
 PRE-FILTER
 (TRANSLUCENT)
B-218-3
B-218-2 (EZ)



K33 DISPOSABLE
 RESIN FILTER
B-217-1
B-218-8 (EZ)
B-215-7
 DEIONIZATION (DI)
 (Water 0 PPM)



K33 DISPOSABLE
 PRE-FILTER (WHITE)
B-218-1
B-218-6 (EZ)



B-314-3
 10" TWIST
 GRAIN CARBON
 FILTER (1/4"NPT)



B-314-2
 10" TWIST SEDIMENT
 PP FILTER (1/4"NPT)



B-314-4
 10" TWIST
 BLOCK CARBON
 FILTER (1/4"NPT)
 NET COVERED



B-301-2
 10" TRANSPARENT
 RESIN FILTER
 RSN (RECYCLABLE)
B-301-4 (DI)
 (Water 0 PPM)



B-301-1
 10" RESIN FILTER
 RSN (WHITE SHELL)
 (RECYCLABLE)
B-303-5 (DI) (DI) (Water 0 PPM)



CERAMIC FILTER
B-314-12 10"
 (MADE BY DOULTON)
B-131 10"
 (MADE IN TAIWAN)
B-131-1 20"
 (MADE IN TAIWAN)



10" CERAMIC FILTER
B-314-1 (MADE IN TAIWAN)
B-314 (MADE BY DOULTON)

濾材 Cartridge Filters



- IN-LINE CL-10 POST CARBON FILTER (1/4" NPT)**
B-214
B-215-1 (NSF)
B-215-5 (EZ)
B-213-4 (EZ) (NSF)
B-213-6 (BLOCK)
B-213-7 (BLOCK) (NSF)
- BAMBOO POST CARBON FILTER (1/4" NPT)**
B-601-6
- OMNIPURE CL-10 / ROT33 CARBON FILTER (1/4" NPT)**
B-216
(Made in USA)
- IN-LINE CL-10 T33 CARBON (1/4" NPT) (L:264MM)**
B-215
- IN-LINE PF-5 PPFILTER (1/4" NPT) (L:254MM)**
B-126 SHELL WHITE
B-126-1 TRANSLUCENT SHELL
- 6" IN-LINE FILTER (15CM)**
B-226 PP
B-226-1 CARBON

[WASHABLE]



- IN-LINE UF MEMBRANE (L: 255MM / φ: 50MM)**
B-317-17
- UF MEMBRANE (UDF TYPE)**
B-317-18 10"
B-317-21 20"




- EXPOSED UF MEMBRANE (1/4" NPT) (L: 254MM/φ: 48MM)**
B-314-17
- THE WHITE HOUSING of B-314-17**
B-302-7

Main performance indices

- Membrane material : Polypropylene (PP)
- Porosity : 40-50%
- Membrane bore diameter : 0.01-0.1 μm
- Operation temperature : 4-40°C
- PH : 0-14

Comparison of Filtration Square Measure



Nano Silver Filter



- NANO-SILVER BLOCK CARBON FILTER (ANTI-BACTERIA)**
B-210-7 10"
B-210-8 20"
- BIG FAT NANO-SILVER BLOCK CARBON FILTER (ANTI-BACTERIA)**
B-224-18 10"
B-224-19 20"
- IN LINE CL-10 NANO-SILVER CARBON FILTER**
B-215-9
- 10" NANO-SILVER ACTIVATED CARBON FILTER (1/4") (SCREW-IN)**
B-314-13



- BIG FAT PLEATED DEPTH FILTER**
B-105-5 10"
B-105-2 20"
- BIG FAT PP FILTER (SU)**
B-117-3 10"
B-117-1 20"
- KA BIG FAT BLOCK CARBON FILTER**
B-224-16 10"
B-224-17 20"
- BIG FAT T33 GRAIN CARBON FILTER**
B-224-15 10"
B-224-11 20"
- BIG FAT RESIN FILTER (RSN)**
B-303-3 10"
B-303-2 20"
- B-304-5 20" RESIN FILTER (MJ)**
- KKS BIG FAT BLOCK CARBON FILTER**
B-209-3 10"
B-224-5 20"



- RO-NF MEMBRANE 60-80%**
B-401-4 ALR50G
B-401-7 ALR140G
B-401-8 ALR240G
- FILMTEC RO MEMBRANE (MADE in USA)**
B-403 50G
B-405 75G
B-405-1 100G
- AQUA-WIN RO MEMBRANE**
B-401-17 400G
- RO MEMBRANE (NSF MATERIAL)**
B-401-3
AQUA-SAFE 50G (TW30-1810-50) (SHORT)
B-405-7 KING-PRO 50G
B-401-9
AQUA-WIN 80G
B-401-10
AQUA-WIN 100G
B-405-12
AQUA-WIN 180G
- AQUA-WIN RO MEMBRANE (Made in Taiwan)**
B-407-2 2521*(250G)
B-408-3 4021*(800G)
B-411-7 4040*(1500G)
- KING-PRO 50G RO MEMBRANE (NANO-SILVER)**
B-405-10



- EVERPURE CARTRIDGE (MADE in USA)**
B-322 MC(2)
B-311-6 MH(2)
B-310-2 I2000(2)
B-311-2 I4000/I4000(2)
- EVERPURE CARTRIDGE (MADE in USA)**
B-309 S-100
B-311-1 H-100
B-309-3 S-104
B-309-4 H-104
B-309-2 4C
B-310-4 BH(2)
- EVERPURE CARTRIDGE (MADE in USA)**
B-309-5 S-54
B-309-7 H-54



- A-124-14 TWIN FILTER HEAD FOR EVER FILTER WITH COVER 3/8"**
Four colors are optional: White/Blue/Lightblue/Lightgreen
- A-124-15 TRIPLE FILTER HEAD FOR EVER FILTER WITH COVER 3/8"**
Four colors are optional: White/Blue/Lightblue/Lightgreen

Both filter Heads are suitable for EVERGREEN and EVERPURE filters.

濾材 Cartridge Filters



B-215-6
IN-LINE POST DEIONIZATION (DI) FILTER(1/4" NPT) (WATER 0 PPM)



B-304
20" DEIONIZATION (DI) FILTERS (WATER 0 PPM)



B-303-6
20" BIG FAT DEIONIZATION (DI) FILTERS (WATER 0 PPM)



B-501
IN-LINE MINERAL STONE FILTER (TRANSPARENT) (1/4"NPT)



B-502
IN-LINE MINERAL STONE FILTER (1/4"NPT)



B-503-1
IN-LINE 4 IN 1 FILTER (1/4"NPT)



B-213-3
IN-LINE INFRA-RED FILTER(1/4" NPT) (GREEN HOUSING)



B-505
IN-LINE INFRA-RED FILTER (4 TUBES INSIDE) (1/4" NPT) (TRANSPARENT)



B-503-2
IN-LINE INFRA-RED FILTER (4 TUBES INSIDE) (1/4" NPT)



OMNIPURE E-Series FILTER (MADE IN USA)
B-309-6 E5515-P
Removed:
Cysts
Lead
Scale
Taste
Odor
Chlorine




B-601-8
ALKALINE PH POST FILTER(1/4" NPT) (PH 8.00-9.50)



B-507-7
ORP ALKALINE FILTER (T808)(1/4" NPT) (-150MV ~ -250MV)

Change the water PH value into 8.5-9.0 and water from a positive potential to negative potential (approximately-150~-250 mV)



出水口 Faucets



C-240-15
FAUCET SCREWDRIVER (H: 375MM)



C-240
GOOSE FAUCET (BLACK PRESS BUTTON) 1/4"NPT



C-240-6
CERAMIC FAUCET (WHITE PRESS BUTTON) 1/4"NPT



CERAMIC FAUCET (GOLDEN HEAD) 1/4"NPT
C-241
3 GOLDEN POINTS
C-241-17
2 GOLDEN POINTS



CERAMIC FAUCET (SILVER HEAD) 1/4"NPT
C-241-7
3 GOLDEN POINTS



C-241-5
SINGLE-HANDLE VASE FAUCET(1/4"PT)



C-241-13
AMERICAN STYLE FAUCET(1/4"NPT)(M)



C-241-9
AMERICAN STYLE FAUCET(BIG)(1/4"PT)



C-241-10
AMERICAN STYLE DOUBLE CONTROL FAUCET (COLD/HOT)



C-934-4
L TYPE FAUCET INCLUDING CONNECTOR 1/4"



C-241-14
SINGLE-HANDLE VASE FAUCET(1/4"NPT)



C-241-16
EGG HANDLE STYLE FAUCET(1/4"NPT)



C-241-6
MINI AMERICAN STYLE FAUCET 1/4"NPT



C-241-4
MINI AMERICAN STYLE BEND FAUCET 1/4"NPT



C-242-14
ACID WATER FAUCET (3/8"NPT)



C-311
STRAIGHT FOUNTAIN FOR A-173-5 & A-173-7 & A-173-8

The picture is only for reference, please make the object as the standard.



PRESSURIZED WATER BUTTON for WATER DISPENSER (COLD/WARM/HOT)

- C-248:** FOR D-406 Dispenser
- C-248-1:** FOR389 / ST188 Dispenser
- C-248-3:** FOR 3013 Dispenser




3-IN-1 FAUCET
C-243-2 SWAN TYPE(3/8" NPT)
C-243-3 PENGUIN TYPE(3/8" NPT)



鐵架、鐵片 Brackets



3 STAGE BIG FAT
STAND BRACKET
C-208-6 (10")
C-208-5 (20")



C-208-2
2 STAGE BIG FAT
STAND BRACKET (20")



C-208-4
2 STAGE BIG FAT
STAND BRACKET (10")



C-201-9
3 STAGE EVER
STAND BRACKET(10")



C-201-10
2 STAGE EVER
STAND BRACKET(10")



C-203
20" RO STAND
BRACKET



C-201-31
10" RO STAND
BRACKET (FULL BACK)



C-201-32
10" RO STAND
BRACKET
(WITH WATER
PRESSURE
GAUGE HOLE)



C-205
10" EVER BRACKET
C-206 (3 STAGE)
C-205 (2 STAGE)



C-204
SI DE BRACKET
FOR PUMP



2 STAGE BRACKET
C-205-2 (10")
C-207 (20")
C-207-1 (20") (BIG FAT)



SINGAL STAGE
WALL-MOUNTED BRACKET
C-210 (FOR 10" & 20" HOUSING)
C-210-1 (FOR 10" & 20" BIG FAT HOUSING)



RO BRACKET
C-201 (10")
C-206-1 (R1 TYPE)



C-206-2
C-208 C-208-1
3 STAGE BRACKET
C-206-2 (10")
C-208 (20")
C-208-1 (20")(BIG FAT)



C-209-4
FAUCET WALL-MOUNTED
RING
FAUCET WALL-MOUNTED
RING 3/8" & 1/4"
C-209-1 (METAL)
C-209-2 (PLASTIC)

傳統接頭 Jaco Fittings

Male Connector

MODEL No.	Description	Tube	Thread
C-904	10-4-2 Male connector	1/4"	1/8"
C-903	10-4-4 Male connector	1/4"	1/4"
C-906	10-4-6 Male connector	1/4"	3/8"
C-911	10-4-8 Male connector	1/4"	1/2"
C-907	10-6-4 Male connector	3/8"	1/4"
C-908	10-6-6 Male connector	3/8"	3/8"
C-912	10-6-8 Male connector	3/8"	1/2"



Male Elbow

MODEL No.	Description	Tube	Thread
C-914	40-4-2 Male elbow	1/4"	1/8"
C-914-1	40-6-8 Male elbow	3/8"	1/2"
C-913	40-4-4 Male elbow	1/4"	1/4"
C-913-1	40-4-4 Q Male elbow (Including O-ring)	1/4"	1/4"
C-916	40-4-6 Male elbow	1/4"	3/8"
C-917	40-6-4 Male elbow	3/8"	1/4"
C-918	40-6-6 Male elbow	3/8"	3/8"

Unior Connector

MODEL No.	Description	Tube	Tube
C-905	15-4-4 Unior connector	1/4"	1/4"
C-909	15-6-4 Unior connector	1/4"	3/8"
C-910	15-6-6 Unior connector	3/8"	3/8"
C-910-6	15-6-8 Unior connector	3/8"	1/2"
C-910-7	15-8-8 Unior connector	1/2"	1/2"



Male Elbow

MODEL No.	Description	Tube	Tube
C-913-3	50-4-4 Male elbow	1/4"	1/4"
C-913-7	50-6-6 Male elbow	3/8"	3/8"
C-913-8	50-8-8 Male elbow	1/2"	1/2"

Male Connector

MODEL No.	Description	Tube	Thread
C-915-2	25-4-2 Male connector	1/4"	1/8"
C-915-3	25-4-4 Male connector	1/4"	1/4"



Male Run Tee

MODEL No.	Description	Tube	Thread
C-919	75-4-4 Male run tee	1/4"	1/4"
C-922-2	75-6-4 Male run tee	3/8"	1/4"
C-922	75-6-6 Male run tee	3/8"	3/8"
C-922-1	76-4-4 Male run tee	3/8" & 1/4"	1/4"

Male Branch Tee

MODEL No.	Description	Tube	Thread
C-920-2	60-4-2 Male branch tee	1/4"	1/8"
C-921	60-4-4 Male branch tee	1/4"	1/4"
C-925	60-6-4 Male branch tee	3/8"	1/4"
C-924	60-6-6 Male branch tee	3/8"	3/8"
C-924-1	60-8-6 Male branch tee	1/2"	3/8"
C-924-2	60-8-8 Male branch tee	1/2"	1/2"



Central Connector

MODEL No.	Description	Tube
C-926	CC-2W PP central connector	1/4"
C-926-1	CC-2W PP central connector (Including O-ring)	1/4"
C-927	CC-3W PP central connector	3/8"
C-928	CC-4W PP central connector	1/2"
C-928-1	CC-4W PP central connector (Including O-ring)	1/2"
C-929	CC-4W PP central connector	3/4"
C-929-1	CC-1 PP central connector	1"

Female Elbow

MODEL No.	Description	Tube	Thread
C-915	45-4-2 Female elbow	1/4"	1/8"
C-915-1	45-4-4 Female elbow	1/4"	1/4"



Union Tee

MODEL No.	Description	Tube
C-920	70-4-4 Union tee	1/4"
C-923	70-8-6 Union tee	3/8"
C-920-5	70-8-8 Union tee	1/2"

Tubing Inserts

MODEL No.	Description	Tube
C-939	PI-01 Tubing Inserts	1/4"
C-939-4	PI-02 Tubing Inserts	3/8"



Drainage Adapter

MODEL No.	Description	Tube
C-285	Drainage Adapter	1/2"

Male Connector

MODEL No.	PART No.	Tube O.D.	NPTF Thread
C-904-8	MC0402	1/4"	1/8"
C-604-7	MC0404	1/4"	1/4"
C-904-12	MC0406	1/4"	3/8"
C-904-14	MC0604	3/8"	1/4"
C-904-15	MC0606	3/8"	3/8"
C-904-16	MC0608	3/8"	1/2"



Union Connector

MODEL No.	PART No.	Tube O.D.	Tube O.D.
C-921-12	UC0404	1/4"	1/4"
C-921-16	UC0604	3/8"	1/4"
C-910-1	UC0606	3/8"	3/8"



Faucet Connector

MODEL No.	PART No.	Tube O.D.	UNF Thread
C-921-5	FA04-716	1/4"	7/16"
C-915-8	FA06-716	3/8"	7/16"
C-915-9	FA0404	1/4"	1/4"



Male Run Tee

MODEL No.	PART No.	Tube 1	NPTF Thread	Tube 3
C-921-14	MRT0404	1/4"	1/4"	1/4"
C-923-9	MRT0604	3/8"	1/4"	1/4"



Stem Adapter

MODEL No.	PART No.	Stem O.D.	NPTF Thread
C-921-6	SA0404	1/4"	1/4"
C-921-19	SA0604	3/8"	1/4"
C-921-20	SA0606	3/8"	3/8"



Main Stem Tee / Stem Branch Tee

MODEL No.	PART No.	Tube O.D.	Tube O.D.	Stem O.D.
C-921-4	SBT0404	1/4"	1/4"	1/4"



Stem To House Elbow

MODEL No.	PART No.	Stem O.D.	Stem O.D.
C-904-4	4SHE4	1/4"	1/4"
C-904-5	6SHE4	1/4"	3/8"



Male Elbow

MODEL No.	PART No.	Tube O.D.	NPTF Thread
C-904-7	ME0402	1/4"	1/8"
C-913-4	ME0404	1/4"	1/4"
C-904-10	ME0406	1/4"	3/8"
C-904-17	ME0604	3/8"	1/4"
C-918-2	ME0606	3/8"	3/8"
C-904-18	ME0608	3/8"	1/2"



Union Elbow

MODEL No.	PART No.	Tube O.D.	Tube O.D.
C-921-11	UE0404	1/4"	1/4"
C-909-2	UE0604	3/8"	1/4"
C-910-3	UE0606	3/8"	3/8"



Male Branch Tee

MODEL No.	PART No.	Tube1	Tube2	NPTF Thread3
C-921-7	MBT0404	1/4"	1/4"	1/4"
C-918-3	MBT0606	3/8"	3/8"	3/8"



Union Tee

MODEL No.	PART No.	Tube O.D.	Tube O.D.	Tube O.D.
C-921-9	UT0404	1/4"	1/4"	1/4"
C-904-19	UT0406	3/8"	1/4"	3/8"
C-923-8	UT0604	1/4"	3/8"	1/4"
C-923-7	UT0606	3/8"	3/8"	3/8"



Stem Elbow

MODEL No.	PART No.	Tube O.D.	Stem O.D.
C-921-13	SE0404	1/4"	1/4"
C-921-16	SE0406	1/4"	3/8"
C-910-4	SE0606	3/8"	3/8"



Side Stem Tee / Stem Run Tee

MODEL No.	PART No.	Tube O.D.	Tube O.D.	Stem O.D.
C-921-8	SRT0404	1/4"	1/4"	1/4"
C-921-18	SRT0606	3/8"	3/8"	3/8"



Bulkhead Union

MODEL No.	PART No.	Tube O.D.	Tube O.D.
C-912-6	BU0404	1/4"	1/4"
C-921-17	BU0406	1/4"	3/8"
C-912-5	BU0606	3/8"	3/8"



Two Way Divider

MODEL No.	PART No.	Tube In	Tube out	Tube out
C-920-3	TWDD0404	1/4"	1/4"	1/4"
C-920-4	TWDD0606	3/8"	3/8"	3/8"



Stem Reducer

MODEL No.	PART No.	Stem Thread	Tube O.D.
C-920-3	SR0406	3/8"	1/4"
C-923-11	SR0604	1/4"	3/8"



Twin Connector

MODEL No.	PART No.	Tube O.D.	Tube O.D.
C-941	-DC4	1/4"	1/4"



Locking Clip

MODEL No.	PART No.	Tube O.D.
C-901-6	LC0004	1/4"
C-901-7	LC0006	3/8"



Fitting Insert / Plug

MODEL No.	PART No.	Description
C-939-5	PI-02-2	1/4"



Flow Restrictor

MODEL No.	The name of product	Description
C-222-8	FR-2225-Q-EZ	250 ML 1/4 OD
C-222-9	FR-2220-Q-EZ	200 ML 1/4 OD
C-222-10	FR-5030-Q-EZ	300 ML 1/4 OD
C-222-7	FR-5042-Q-EZ	420 ML 1/4 OD
C-222-11	FR-5055-Q-EZ	550 ML 1/4 OD
C-222-12	FR-2280-Q-EZ	800 ML 1/4 OD



Ball Valve / EZ Fittings

MODEL No.	PART No.	Tube In	Tube Out
C-226-10	CV-1344	1/4"	1/4"
C-226-15	CV-1364	3/8"	1/4"
C-226-16	CV-1366	3/8"	3/8"



CR-Cross

MODEL No.	PART No.	Tube O.D.
C-940	4CR4	1/4"
C-940-1	6CR6	3/8"



CR-Cross

MODEL No.	PART No.	O.D.	Tube O.D.	Tube O.D.
C-291-7	CV-3344-EZ	1/4"	1/4"	1/4"
C-291-13	CV-6644-EZ	3/8"	3/8"	3/8"



Check Valve / CV-3242-EZ

MODEL No.	PART No.	NPTF Thread	Tube O.D.
C-291-12	CV-3242-EZ	1/8"	1/4"



Check Valve / CV-3142-EZ

MODEL No.	PART No.	NPTF Thread	Tube O.D.
C-291-8	CV-3042-EZ	1/8"	1/4"



Ball Valve / EZ Fittings

MODEL No.	PART No.	UNF Thread	Tube O.D.
C-226-11	CV-1144 with O-ring	1/4"	1/4"
C-226-14	Ball Valve 1/4" W / EZ Fittings		
	Ball Valve 3/8" W / EZ Fittings		



EZ Ball VALVE CV1466-Q

MODEL No.	NPTF Thread	Tube O.D.
C-226-13	3/8"	3/8"



EZ Ball VALVE CV1444-Q

MODEL No.	NPTF Thread	Tube O.D.
C-226-12	1/4"	1/4"

紫外線殺菌燈 UVC Lightings



Model : 1G ULTRAVIOLET WATER STERILIZER

1G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-140-4 (110V) A-140-2 (220V)	0.5Gpm / 2Lpm	1Gpm/4Lpm	50.5 x 260mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1/4inch NPT	125PSI	304 stainless steel	



Model : 2G ULTRAVIOLET WATER STERILIZER

2G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-140 (110V) A-140-6 (220V)	1.5Gpm / 6Lpm	2Gpm / 8Lpm	64 x 340mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1/4inch NPT	125PSI	304 stainless steel	



Model : 4G ULTRAVIOLET WATER STERILIZER

4G UV


Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-141-10 (110V) A-141-5 (220V)	4Gpm/16Lpm	5Gpm/20Lpm	64 x 512mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1/2inch NPT	125PSI	304 stainless steel	



Model : 6G ULTRAVIOLET WATER STERILIZER

6G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-141 (110V) A-141-1 (220V)	6Gpm / 24Lpm	7Gpm / 28Lpm	64 x 680mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1/2inch NPT	125PSI	304 stainless steel	



Model : 12G ULTRAVIOLET WATER STERILIZER

12G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-142 (110V) A-142-5 (220V)	12Gpm / 48Lpm	14Gpm / 56Lpm	83 x 900mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
3/4inch NPT	125PSI	304 or 316 stainless steel	



Model : 24G ULTRAVIOLET WATER STERILIZER

24G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-191 (110V) A-191-1 (220V)	20Gpm / 80Lpm	24Gpm / 96Lpm	100 x 900mm
Inlet/Outlet size	Max. Working pressure	Chamber/ housing	
1inch NPT	125PSI	304 or 316 stainless steel	



WATER-POSTING U.V. STERILIZER

AQUARIUM UV

- A-141-7 SUV-300 UV Water Sterilizer (14W)
Dimension:ø 1-1/4" x 38mm x 307 mm
- A-141-8 SUV-670 UV Water Sterilizer (32W)
Dimension:ø 1-1/4" x 38mm x 677 mm
- A-141-9 SUV-895 UV Water Sterilizer (39W)
Dimension:ø 1-1/4" x 38mm x 902 mm



THE BALLAST OF 1G/2G

- C-162-4 THE BALLAST OF 1G UV 220V/6W (2 TOP PINS)
- C-161-4 THE BALLAST OF 1G/2G UV 220V/14W (SINGLE TOP 4 PINS)



THE BALLAST OF 4G/6G/12G/24G

- C-166 THE UV BALLAST OF 4G/6G/12G/24G (110V/220V)/(24W-39W)(SINGLE TOP 4 PINS)

UV燈管&石英管

UV Lamp & Quartz Tube Sleeve



UV Lamp & Quartz Tube Sleeve Specification

Two Top Bin-Pins Horizontal Quartz Germicidal Lamp

Model No.	UV LAMP	LAMP MODELS	WATT	VOLT	CUR	DIAMETER	LENGTH
C-255-4	1G	UVC-S212T5	6W	50V	150mA	15.5mm	212mm

Single Top Four Pins Horizontal Quartz Germicidal Lamp

Model No.	UV LAMP	LAMP MODELS	WATT	VOLT	CUR	DIAMETER	LENGTH
C-255-5	1G	UVC-D212T5	14W	32V	400mA	15.5mm	212mm
C-255	2G	UVC-D287T5	14W	42V	425mA	15.5mm	287mm
C-255-10	4G	UVC-D450T5	24W	60V	425mA	15.5mm	450mm
C-256	6G	UVC-D645T5	32W	85V	425mA	15.5mm	645mm
C-257	12G / 24G	UVC-D842T5	39W	108V	425mA	15.5mm	842mm

Quartz Tube Sleeve

C-258-5	QTS-230238S	For 1G UV Lamp	23mm	238mm
C-258-1	QTS -230330	For 2G UV Lamp	23mm	330mm
C-258-6	QTS -230500	For 4G UV Lamp	23mm	500mm
C-258	QTS -230670	For 6G UV Lamp	23mm	670mm
C-259	QTS -230895	For 12G / 24G UV Lamp	23mm	895mm

Two Top Bin-Pins



Single Top Four Pins



Aqua-Win[®]

Pure Water System

Dust Proof 3-Stage Water Purifier

Water
Purifier



Aqua-Win[®]

Pure Water System

COMPACT

R.O. SYSTEM

TOP-COUNTER RO SYSTEM

UNDER-COUNTER RO SYSTEM

HY-5099



www.aquawin.com.tw



Aqua-Win®

Pure Water System

TWIST-IN R.O. SYSTEM

HY-6099



Filter replacement
without shutting
off water switch

www.aquawin.com.tw



Aqua-Win®

Pure Water System

ELEGANT

R.O. SYSTEM

PRETTY DESIGN

HY-8099



Quick-Connect
fitting for easy
intallation



LED display
(FULL / PUMP
/ POWER)



It can be raised up to the height of 90°
to make cartridge filter replacement
much easier.

www.aquawin.com.tw



Create A
Healthy Life

HY-8088
Modern Disposable
Filter Water System



Made in Taiwan
Patent Product



Clean Water Makes You Healthy.
Intelligent Choice Makes Life Qualified.

AQUA-WIN HY-8088 not only provides you the pure water but makes your life fashion and modern. HY-8088 is innovated with ideas of "User-friendly" and "Convenient Life".

HY-8088 is both efficient and careful design for individuals. It saves your time when you install the system and replace the filters. A few steps, the installation is finished. A few seconds, you can replace the filter easier than typical one.



• Quick-Connect fitting for easy installation



• LED display (FULL / PUMP / POWER)



• It can be raised up to the height of 90° to make cartridge filter replacement much easier.





Aqua-Win[®]

Pure Water System

(ORP) Alkaline Filter

O.R.P (Oxidation-Reduction Potential)

Change the water PH value into 8.5~9.0 and water from a positive potential to negative potential (Approximately -150 ~ -250 mV)



Intelligent Design

Create a Healthy Life

Aqua-Win®
Pure Water System

Leaking Detector

C-264-7 LEAK DETECTOR 1/4"

C-264-10 LEAK DETECTOR 3/8"




*Leaking Water = Leaking Money
Leaking Detector will cut down tap water inlet immediately once water is leaking.*



Electronic Free

Operating Condition:

- * Operation Pressure: <100psi [7kgf/cm²]
- * Mounting Method: Tape and Screw
- * In-Out Size: 1/4" or 3/8"
- * Connector: EZ Fitting



Aqua-Win[®]

Pure Water System

RO FILTER HOUSINGS



20" BIG
BLUE HOUSING



20" BIG
CLEAR HOUSING



10" BIG
BLUE HOUSING



10" BIG
CLEAR HOUSING

Aqua-Win[®]

Pure Water System

Fill any materials you need

EMPTY
SHELL




Aqua-Win[®]

Pure Water System


UV WATER STERILIZER

(1G ~ 24G)

Electromagnetic Wave drawing



Diameter of panel : 80mm



HANDHELD CLEAR SHOWER SPRAY FILTER

AQ-HSF-02

Product Color : Clear

Product Material : PC Plastic

Product Media :
Calcium Sulfite

Remove chlorine, heavy metal and larger particles of impurities

Negative Long Ball

Breaks water molecules and mineral molecules into smaller molecules



Three spray modes
in one button



1/2" (2cm) sizes
fits regular shower hoses



Stainless steel panel,
With micro spray nozzle

Diameter of panel : 80mm



220mm

HANDHELD BLUE SHOWER SPRAY FILTER

AQ-HSF-03

Product Color : Blue

Product Material : PC Plastic

Product Media :
Calcium Sulfite

Remove chlorine, heavy metal and larger particles of impurities

Negative Long Ball

Breaks water molecules and mineral molecules into smaller molecules



Three spray modes
in one button



1/2" (2cm) sizes
fits regular shower hoses



Stainless steel panel,
With micro spray nozzle

Diameter of panel : 80mm



HANDHELD BLUE SHOWER SPRAY FILTER

AQ-HSF-05

Product Color : Blue

Product Material : PC Plastic

Product Media :
Calcium Sulfite

Remove chlorine, heavy metal and larger particles of impurities

Negative Long Ball

Breaks water molecules and mineral molecules into smaller molecules



Three spray modes
in one button



1/2" (2cm) sizes
fits regular shower hoses



Stainless steel panel,
With micro spray nozzle

Three Spray Modes

switch easily with only one button



Massage

Massage acupoint and
relieve meridian circulation

Rainfall

Relieve fatigue &
Soothing stress



Massage + Rainfall

Double enjoyment for
body & soul



HOW TO INSTALL SHOWER FILTER



CONFIRM POSITION



ASSEMBLE THE SHOWER FILTER



DO NOT OVER-TIGHTEN !!



FLUSH NEW FILTER
FOR 20-30 SECONDS

HOW TO REPLACE INSIDE CARTRIDGE



FLUSH NEW CARTRIDGE FOR
20-30 SECONDS BEFORE USING



EXCHANGE NEW CARTRIDGE



RESSEMBLE THE SHOWER FILTER



WELL DONE!!