THE BEST MANUFACTURER



AQUA-WIN WATER CORPORATION

No.668, Da Feng 2nd Road.
Kaohsiung, Taiwan 807, R.O.C.
TEL: +886 7-389-3888
FAX: +886 7-381-6865
E-mail: info@hibox.hinet.net
Website: www.aquawin.com.tw

Water Quality ASSOCIATION

THE BEST MANUFACTURER



AQUA-WIN

AQUA-WIN

AW-1901

Direct Flow RO system (Tankless)

Two Stages RO System



1st Stage PPC Filter:
Carbon meets NSF61 Standard
2nd Stage RO membrane:
Meets RoHS(EU) Standard

Direct Drinking

Filter virus, bacteria & heavy metal

Pre-filtered & RO water

2:1
Waste water ratio, more water saving



Tankless & direct flow design, space saving up to 60%



Twist and pull out old cartridge



Twist and push in new cartridge



Horizontal Cartridges Easy Replacement



TDS display water quality



*White indicator light in normal condition

*Red indicator light for cartridge replacing alert

*Smart LED Display

Designed by @macrovector / Freepik

AWJ series

AUTOMATICAL WATER SOFTENER (RED)

AQUA-WIN



Photographed by @prostooleh / Freepik.com

BENEFITS of soften water

Anti limescale
Soften water and increase life span of water heater, humidifier and other water equipment by prevent blockage and forming of limescale

Soften clothes
Better washing result, keep clothes soft andprevent color fading even washing for multiple times.

Body care & hair care
Soften hair after bathing, prevent hair from breakage and knotting.

Easy cleaning of lavatory
Prevent yellowish of bathtub, toilet and ceramic tiles.

Better result for car grooming
No limescale or water marks after car wash, good polish effect for car paint and mirrors.



AWJ-12L AWJ-25L

LED screen display ; simple operating with few buttons

Space saving with all in one design

Low maintenance cost

AWJ-12L	
Resin capacity	12L
Dimension	48 x 33 x 60 cm

AWJ-25L	
Resin capacity	25L
Dimension	48 x 33 x 106 cm

AQUA-WIN

SGS

WHOLE HOUSE STAINLESS STEEL

ANTI BACTERIA UF WATER FILTRATION SYSTEM



Cafeteria Drinking Cooking Tea

Features


Pore size between ceramic filter and RO filter, can be used to filter bacteria

High water flow, no electric needed

Washable filter with longer lifespan

Model	Flow rate	Dimension (Length*Width*Height)
HY-UF-1000	1000 liter/h	50*15*18cm
HY-UF-1500	1500 liter/h	57.5*15*18cm
HY-UF-2000	2000 liter/h	77*15*18cm
HY-UF-2500	2500 liter/h	79*15*18cm
HY-UF-3000	3000 liter/h	93*15*18cm
HY-UF-4000	4000 liter/h	116.5*15*18cm

Pore Size diagram



Bacteria 1-4micron

Virus 0.2-0.4micron

UF fiber 0.01-0.1micron

AQUA-WIN

MEMBER Water Quality ASSOCIATION SGS

- Remove chlorine
- Remove lead
- Anti-bacteria
- Anti-limescale



Dimension
(H)45cm x (L)28cm x (D)18cm

Multiple Functions Filters in Aluminum Housings



Dimension: (Height)37.5cm x (Diameter)7.5cm

Service life	Lifespan about 2000Gallon(7570liters) or 12months (Depends on water quality, water usage & water pressure)
Highest pressure	125PSI
Inlet water temperature	2~38° C
Flow	0.5GPM

Beverage shop · Cafeteria · Coffee machine · Ice maker

TW/S105 Remove chlorine/Lead

TW/H105 Remove chlorine/Lead Anti limescale

TW/SU108 Remove chlorine/Lead Anti bacteria

TW/UF588 Ultra fiber membrane filters bacteria



AQUA-WIN

High flow RO System
(Commercial&Business Use)

Daily water production(800~9000gallon)
Suitable for different requirement



*Picture shown for reference only, exact appearance based on shipping.

Application


School


Hospital


Hotel


Water refill station


Factory


Gardening


Model	Water production (Day)	Water flow
HY-8800G	800Gallon	125 liter/hour
HY-81500G	1500Gallon	236 liter/hour
HY-83000G	3000Gallon	472 liter/hour
HY-86000G	6000Gallon	945 liter/hour
HY-89000G	9000Gallon	1417 liter/hour

AQUA-WIN

Whole house Water Purifier

304 Stainless Steel

Clean water for residential




High water flow




SS 304 material


No waste water


Secure with metal clamp


High leakproofness


Fit varieties of big blue filter



- Length: 10”, 15”, 20”
- Max. working pressure: 10kg/cm²
- Housing working temp: 5~45℃
- Water inlet: 1” NPT
- Applicable:
  Whole house prefiltration
- Filters working temp:
  Might differ with different filters

AQUA-WIN

HY-6500G

Tankless Direct Flow RO System (500GPD)



Direct Drinking

High flow RO membrane

Quick change cartridges

5 Stages Cartridges

1 **PP sediment filter** Lifespan 3-6months
Remove silt, mud, rust, gum, forming compounds and solid impurities.

2-3 **Coconut carbon filter** Lifespan 3-6months
Bring better taste by using high iodine value carbon that absorbs chlorine, odor and color.

4 **500GPD RO membrane** Lifespan 1-3years
Remove virus, bacteria, lime scale, heavy metal and organic contaminants that might cause cancer.

5 **Nano silver activated carbon filter** Lifespan 1year
Carbon block coated with nano-silver non-woven fabric, antibacterial effectively.



Direct flow with tankless design,
Space saving up to 60%.
Dimension: (W)26 x (L)27 x (H)47 cm

Designed by @wirestock / @macrovector / Freepik

AQUA-WIN





AW-7816

Standing Type Water Dispenser(Hot/Cold/Warm)

AW-8816

Standing Type Water Dispenser(Hot/Warm)

Best choice for commercial use

High capacity stainless steel hot water tank

20L	7L	3L
Hot	Warm	Cold

20L hot water | 5stages filtration | Single core heat exchange | Instant cold | SS304 faucet

AW-7816	AW-8816
Model: AW-7816	Model: AW-8816
Color: Stainless steel	Color: Stainless steel
Temperature: Hot/Cold/Warm	Temperature: Hot/Warm
Dimension: 42*47*126cm	Dimension: 42*47*126cm
Capacity: hot 20liter/warm 7liter/ cold 3liter	Capacity: hot 20liter/warm 7liter
Voltage: 110V / 60Hz ; 220V / 50~60Hz	Voltage: 110V / 60Hz ; 220V / 50~60Hz
Power: Hot 750W / Cold 100W	Power: Hot 750W
Optional: Reverse Osmosis Filtration System	Optional: Reverse Osmosis Filtration System
Certification: 能源效率 第 1 級	Certification: 能源效率 第 1 級


HY-6099
RO SYSTEM




Dimension: (W)22 x (L)26 x (H)45 cm

- ✔ Small size design, Space saving
- ✔ Water pressure gauge for instant checking

Replacement



Twist clockwise for removing old cartridge



Twist anti-clockwise to fit in new cartridge

AQUA-WIN



Photographed by @drobotdean / Freepik

5 Stages of Filters



1 **Sediment pre-filter** lifespan 3-6mths
Remove silt, rust, colloid, solid particles & suspended impurities.



2-3 **2-3 Coconut filters** lifespan 3-6mths
High iodine value coconut carbon to absorb chlorine, odor & color, helps improve taste of water.



4 **RO Membrane** lifespan 1-3years
Remove virus, bacteria, lime scale, calcareous, heavy metal & organic contaminants.



5 **Post carbon filter** lifespan 1year
Good quality coconut carbon is used to absorb micro organic particle from pressure tank.



Stop valve design, No need turn off water inlet.

Quick change cartridge special design by AQUA-WIN. More time saving & more convenient when replacing.
No tools is needed, replacement can be done in few seconds with only one twist.

HY-8099 RO SYSTEM

AQUA-WIN



Photographed by @kacool_studio / Freepik

Dust-proof compact design

LED smart display

Quick change type cartridge



- ✔ 90° lift up for replacement
- ✔ Cartridge cap with water stop valve design

Dimension: (L)35* (W)21 * (H)39 cm

5 Stages of Filters



1 **Sediment pre-filter** lifespan 3-6mths
Remove silt, rust, colloid, solid particles & suspended impurities.



2-3 **2-3 Coconut filters** lifespan 3-6mths
High iodine value coconut carbon to absorb chlorine, odor & color, helps improve taste of water.



4 **RO Membrane** lifespan 1-3years
Remove virus, bacteria, lime scale, calcareous, heavy metal & organic contaminants.



5 **Post carbon filter** lifespan 1year
Good quality coconut carbon is used to absorb micro organic particle from pressure tank.

AQUA-WIN



HY-5500G-2T

Tankless Direct Flow RO System

Advantages

Water in one second
Able to handle high water usage, do not need to wait water production.

High water flow
Direct flow type RO system, fill a cup of water in less than 10seconds.

Space saving
No tanks needed, save space up to 60%, can be installed in small area.

Prevent bacteria from storage tank
Bacteria might be produce when water is stored in storage tank for some period, direct flow type RO system can prevent this problem.

Eco-friendly design
Storage tank need to replace about every 5years for hygienic consideration. Tankless design could cut down cost and reduce solid waste at the same time.

- 1 stage : PP sediment filter
- 2 stage: CTO block carbon filter
- 3 stage : 500GPD RO membrane
- 4 stage : Nano-silver activated carbon filter

Made in Taiwan
Quality Assurance

CE SGS NSF COMPONENT Water Quality

AQUA-WIN



HY-5500G-3T

Tankless Direct Flow RO System

Advantages

Water in one second
Able to handle high water usage, do not need to wait for water production.

High water flow
Direct flow type RO system, filling a cup of water in less than 10seconds.

Space saving
No tanks needed, space saving up to 60%, can be installed in small area.

Prevent bacteria from storage tank
Bacteria might be produce when water is stored in storage tank after some period, direct flow type RO system can prevent this problem.

Eco-friendly design
Storage tank need to replace about every 5years for hygienic consideration. Tankless design could cut down cost and reduce solid waste at the same time.

- 1 stage : PP sediment filter
- 2 stage: CTO block carbon filter
- 3 stage: CTO block carbon filter
- 4 stage : 500GPD RO membrane
- 5 stage : K33 Post in-line Carbon

Made in Taiwan
Quality Assurance

CE SGS NSF COMPONENT Water Quality

大型過濾系統 Water Treatment Systems



800GPD/DAY



1500GPD/DAY



3000GPD/DAY

Industrial RO System

MODEL NO.	R.O.Output	R.O. Membrane
A-119	800GPD	4021X1
A-120	1500GPD	4040X1
A-120-1	3000GPD	4040X2
A-120-2	6000GPD	4040X4
A-120-3	9000GPD	4040X6

FRP VESSEL TANK

MODEL NO	TANK SIZE (D*H)	OPENING
C-290-1	6X18 (6L)	2.5"
C-290-2	6X35 (10L)	2.5"
C-290-10	7X35 (15L)	2.5"
C-290-3	8X35 (20L)	2.5"
C-290-12	9X35 (25L)	2.5"
C-290	10X35 (30L)	2.5"
C-290-5	10X47 (40L)	2.5"
C-290-6	10X54 (50L)	2.5"
C-290-7	12X52 (60L)	2.5"
C-290-8	13X54 (70L)	2.5"
C-290-9	14X47 (80L)	2.5"
C-290-11	14X65 (100L)	2.5"
C-190-13	16X65 (120L)	4"
C-190-16	18X65 (150L)	4"
C-190-14	21X62 (200L)	4"
C-190-15	24X72 (300L)	4"
C-190-18	30X72 (500L)	4"

FRP VESSEL TANK



Control Valve Type



Model No.: C-298-1
F20 RESIN CONTROL HEAD(STARS-110V) &(STCRS-220V)1"



Model No.: C-299-1
F20 CONTROL VALVE(FTARS-110V) &(FTCRS-220V) (TIMER)1"

BRINE TANK

MODEL NO.	DESCRIPTION	REMARK	TANK SIZE
C-293-2	BRINE TANK#1535	WITH SALT BASE	FRP TANK↓ 100L
C-293-3	BRINE TANK#1840	WITH SALT BASE	FRP TANK↑ 120L



B-603
MANGANESE GREENSAND



B-604
QUARTZ SAND



B-602-1
RESINEX ION EXCHANGE RESIN



B-509
MAIFAN MINERAL STONE



B-601
ACID WASHING ACTIVATED CARBON
B-601-1
COCONUT SHELL ACTIVATED CARBON

R.O.機組 R.O. System Units



HY-4020
4-STAGE R.O. SYSTEM (NO PUMP)
R.O. Output: 50 G.P.D.

- Model # : A-157 (10"Housing)
- Model # : A-157-1 (5"Housing)



HY-4030
5-STAGE R.O. SYSTEM (NO PUMP)
R.O. Output: 50 G.P.D.

- Model # : A-156 (Jaco Fittings)
- Model # : A-156-2 (EZ Fittings)



HY-5099U
5-STAGE COMPACT R.O. SYSTEM (Under-Counter)
R.O.Output: 50 G.P.D.

- Model # : A-225-13 (PUMP)
- Model # : A-225-15 (NO PUMP)
- Model # : A-225-28 (400G DIRECT FLOW)



HY-6099
5-STAGE IN-LINE DISPOSABLE TYPE RO SYSTEM (Stand Bracket)
R.O. Output: 50 G.P.D

- Model # : A-102-9 (NO WATER PRESSURE GAUGE) (PUMP)
- Model # : A-102-6 (WATER PRESSURE GAUGE) (PUMP)
- Model # : A-102-8 (WATER PRESSURE GAUGE) (PUMP) (AUTO FLUSH)



HY-5099T
5-STAGE COMPACT R.O. SYSTEM (Top-Counter)
R.O. Output: 50 G.P.D.

- Model # : A-225-14 (PUMP)
- Model # : A-225-16 (NO PUMP)
- Model # : A-225-31 (400G DIRECT FLOW)



- Model # : A-102-7 (NO WATER PRESSURE GAUGE) (NO PUMP)

R.O.機組 R.O. System Units



HY-8090 NP
5-STAGE IN-LINE DISPOSABLE TYPE RO SYSTEM
R.O. Output: 50 G.P.D.
- Model # : A-225-23 (NO PUMP)

HY-8099
5-STAGE IN-LINE DISPOSABLE TYPE RO SYSTEM
R.O. Output: 50 G.P.D.
- Model # : A-225-17 (PUMP)



HY-8030
MODERN TYPE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
- Model # : A-226-2 (NO PUMP)

HY-8035
MODERN TYPE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
- Model # : A-225-4 (PUMP)(Insert Type)
- Model # : A-225-2 (PUMP)(Screw Type)



HY-7034
CASING STYLE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
- Model # : A-107-12 (NO PUMP)
- Model # : A-107-5 (PUMP)



HY-6034-B
MODERN STAND 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
- Model # : A-105-8 (NO PUMP)

HY-6034-A
MODERN STAND 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
- Model # : A-105-7 (PUMP)



HY-3034 (Double O-ring)
5-STAGE RO SYSTEM (WITH PUMP)
(WITH SOLENOID VALVE)
R.O. Output: 50 G.P.D.
- Model # : A-101-7



5-STAGE RO SYSTEM WITH PUMP
R.O. Output: 50 G.P.D.

HY-3032
- Model # : A-101-4 (4-Way Valve)
- Model # : A-101-6 (4-Way Valve) (EZ Fittings)

HY-3034
- Model # : A-102 (Solenoid Valve)



HY-5034
5-STAGE RO SYSTEM (WITH PUMP)
(MANUAL FLUSH)(PUMP SIDE-HANG)
R.O. Output: 50 G.P.D.
- Model # : A-105



HY-3036
5-STAGE RO SYSTEM (WITH PUMP)
(AUTO FLUSH)
R.O. Output: 50 G.P.D.
- Model # : A-106-1



HY-6030
IN-LINE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
- Model # : A-105-4 (NO PUMP)

HY-6034
IN-LINE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.
- Model # : A-105-3 (PUMP)

R.O.機組 R.O. System Units



HY-5036
5-STAGE RO SYSTEM WITH PUMP
(AUTO FLUSH)(PUMP SIDE-HANG)
R.O. Output: 50 G.P.D.

- Model # : A-106



HY-5037
STAND TYPE 5-STAGE RO SYSTEM
WITH PUMP (STAND BRACKET)
R.O. Output: 50 G.P.D.

- Model # : A-113-1 (No IC Box)
- Model # : A-106-3 (Auto Flush)
- Model # : A-107 (Auto Flush and TDS)



HY-6035
STAND TYPE 5-STAGE IN-LINE RO
SYSTEM (STAND BRACKET)
R.O. Output: 50 G.P.D.

- Model # : A-105-10 (No IC Box)
- Model # : A-105-11 (Auto Flush)
- Model # : A-105-5 (Auto Flush and TDS)



HY-3035
STAND TYPE 5-STAGE RO SYSTEM
WITH PUMP (WATER PRESSURE GAUGE)
R.O. Output: 50 G.P.D.

- Model # : A-103-4

Aqua-Win®
Pure Water System



COMMERCIAL 5-STAGE
STAND TYPE RO SYSTEM
WITH PUMP (20")

HY-8400
R.O. Output: 400 G.P.D.

- Model # : A-117-4 (400G *1)

HY-8800
R.O. Output: 800 G.P.D.

- Model # : A-100-111 (400G *2)



HY-8150
COMMERCIAL 5-STAGE RO SYSTEM
WITH PUMP (20")
R.O. Output: 150 G.P.D.

- Model # : A-114 (Manual Flush)
- Model # : A-114-2 (Manual Flush)(Stand Bracket)
- Model # : A-114-1 (Auto Flush)
- Model # : A-114-3 (Auto Flush)(Stand Bracket)



DEMO KIT
4-STAGE R.O. SYSTEM
*** Pressure Gauge is Optional
*** T.D.S. is Optional
*** Electronic Color Tester is Optional
R.O. Output: 50 G.P.D.

- Model # : A-107-8 **(220V)**
- Model # : A-107-18 **(110V)**



Direct Flow R.O. System
5-STAGE R.O. SYSTEM WITH
PUMP(STAND BRACKET)
(PRESSURE GAUGE)

- Model # : A-100-100
  R.O. Output: 360 G.P.D.
  (180G * 2)
- Model #: A-100-110
  R.O. Output: 800 G.P.D.
  (400G *2)



Direct Flow R.O. System
5-STAGE R.O. SYSTEM WITH
PUMP (STAND BRACKET)
(PRESSURE GAUGE)

- Model # : A-100-108
  R.O. Output: 180 G.P.D.
- Model # : A-100-103
  R.O. Output: 400 G.P.D.

過濾器 Filtration Systems



20"BIG FAT 3-STAGE
WATER PURIFIER(1NPT)

A-190-2
(METAL BRACKET)

A-190-6
(STAINLESS STEEL BRACKET)

(PP, CTO and GAC available)



10"BIG FAT WATER PURIFIER
(1NPT)

A-190-3
3-STAGE (METAL BRACKET)

A-190-1
2-STAGE (METAL BRACKET)

A-190-7
2-STAGE (STAINLESS STEEL
BRACKET)

(PP, CTO and GAC available)



20" BIG FAT 2-STAGE
WATER PURIFIER(1NPT)

A-190 (METAL BRACKET)

A-190-4 (METAL BRACKET)
(PRESSURE GAUGE*2)

A-190-5 (STAINLESS STEEL BRACKET)

(PP, CTO and GAC available)



3-STAGE WATER PURIFIER
A-122 10"
A-161 20"

(PP, CTO and GAC available)
In-Out Size:3/8" & 1/4" &1/2"
(OPTIONAL)



A-179-1
3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1)
(HOUSING*2)

A-179-4
2-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1)
(HOUSING*1)



A-179-2
3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*2)

A-179-5
3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*2/HOUSING*1)

A-179-3
2-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*1)



A-124
3-STAGE TRIPLE THREAD
DISPOSABLE WATER PURIFIER

(PP, CTO and GAC available)



TWIST-IN DISPOSABLE WATER
PURIFIER (WITH WATER STOP VALVE)

A-124-5 3-STAGE

A-124-7 2-STAGE

(PP, CTO and GAC available)

Aqua-Win®
Pure Water System



A-122-6
3-STAGE WATER PURIFIER

A-121-3
2-STAGE WATER PURIFIER

A-121-1
1-STAGE WATER PURIFIER

(PP, CTO and GAC available)



A-122-7
3-STAGE IN-LINE WATER
PURIFIER (DISPOSABLE)
(PP, CTO and GAC available)



A-179
4-STAGE WINE PURIFIER



A-121-5
SINGLE WATER PURIFIER
(TWIST Cartridge)
(FAUCET Included)



A-124-9
SINGLE STAGE DISPOSABLE
WATER PURIFIER
(WITH WATER STOP VALVE)
(C-934-4 L FAUCET IS OPTIONAL)



A-124-8
2-STAGE STAGE DISPOSABLE
WATER PURIFIER
(WITH WATER STOP VALVE)
(C-934-4 L FAUCET IS OPTIONAL)



A-124-6
3-STAGE STAGE DISPOSABLE
WATER PURIFIER
(WITH WATER STOP VALVE)
(C-934-4 L FAUCET IS OPTIONAL)



B-312-7
HY-UF-1000 STAINLESS STEEL UF+KDF WATER FILTER (1,000L/H) 1/2"

B-312-8
HY-UF-1500 STAINLESS STEEL UF+KDF WATER FILTER (1,500L/H) 3/4"

B-312-2
HY-UF-2000 STAINLESS STEEL UF+KDF WATER FILTER (2,000L/H) 3/4"

B-312-9
HY-UF-2500 STAINLESS STEEL UF+KDF WATER FILTER (2,500L/H) 3/4"

濾殼 Filter Housings

※ ALL FILTER HOUSINGS IN THE FOLLOWING CONTAIN "PRESSURE RELIEF"



20" BIG FAT BLUE HOUSING
C-132-1 1" **C-132- 4** 1.5"
C-132-6 1" (DOUBLE O-RING)
C-132-15 1" (COPPER THREAD)
C-132-10 1" (WHITE HOUSING)



20" BIG FAT CLEAR HOUSING
C-132-12 1" **C-139** 1.5"
C-132-8 1" (DOUBLE O-RING)
C-132-16 1" (COPPER THREAD)



10" BLUE BIG FAT HOUSING
C-132-2 1" **C-132-5** 1.5"
C-132-7 1"(DOUBLE O-RING)
C-132-13 1" (COPPER THREAD)
C-132-9 1" (WHITE HOUSING)



10" CLEAR BIG FAT HOUSING
C-132-11 1" **C-139-1** 1.5"
C-132-14 1"(COPPER THREAD)



20" WHITE HOUSING
C-131-2 3/8" **C-129-2** 1/2"
C-129-3 3/4"



20" CLEAR HOUSING
C-130-2 3/8" **C-129-4** 1/2"
C-133 3/4"



20" BLUE HOUSING
C-129 3/8" **C-130** 1/2"
C-131 3/4"



20' CLEAR HOUSING
C-130-3 3/8" **C-130-1** 1/2"
C-131-1 3/4"



10" KFC FAT CLEAR HOUSING
C-135 1/2" **C-137** 3/4"



10" KFC FAT BLUE HOUSING
C-134 1/2" **C-136** 3/4"
C-134-1 3/8"

Aqua-Win®
Pure Water System



10" YT CLEAR HOUSING
C-123-2 1/4"
C-138-5 1/2
C-121-2 3/8"



10" YT WHITE HOUSING
C-124-2 1/4"
C-138-6 1/2"
C-121-4 3/8"



10" EG CLEAR HOUSING
C-141-3 1/4"
C-141-4 1/2"
C-141-2 3/8"



10" EG WHITE HOUSING
C-141-5 1/4"
C-141-8 1/2"
C-141-1 3/8"



10" EG CLEAR HOUSING
(DOUBLE O-RING)
C-141-6 1/4"
C-141-9 1/2"



10" EG WHITE HOUSING
(DOUBLE O-RING)
C-141-7 1/4"
C-141-13 1/2"



10" CLEAR HOUSING
C-121-5 1/4"
C-138-1 1/2"
C-121 3/8"
C-138-4 3/4"



10" BLUE HOUSING
C-121-6 1/4"
C-138 1/2"
C-122-2 3/8"



CANDLE TYPE HOUSING
(SPIRAL TYPE AS 3/8")
C-128-9
CLEAR HOUSING
C-128-10
WHITE HOUSING



CANDLE TYPE HOUSING
(INSERT TYPE)
C-128-11
CLEAR HOUSING
C-128-12
WHITE HOUSING



5" BLUE HOUSING
C-126-1 1/4"
C-125-4 1/2"
5" WHITE HOUSING
C-126-2 1/4"
C-126-3 1/2"



5" CLEAR HOUSING
C-125-1 1/4"
C-125-3 1/2"
C-125-2 1/4"
(WHITE CAP)
C-126-8 1/2"
(WHITE CAP)



5" WHITE HOUSING
C-126-4 1/4"
C-126-5 1/2"
5" CLEAR HOUSING
C-126-7 1/4"
C-126-6 1/2"

濾 殼 Filter Housings



RO MEMBRANE
WHITE HOUSING
C-267 35-180GPD
C-267-8 400GPD



CONE HOUSING 1/4"
(W)70MM(L)320MM
B-302-17
CLEAR HOUSING
B-302-7
WHITE HOUSING



EMPTY SHELL (3/4")
A-189-13
(WASHING MACHINE FILTER)
(C-275-14 POLY PHOSPHATE
CRYSTAL IS OPTIONAL)



10" EMPTY SHELL
(YELLOW CAP)
B-302-13
CLEAR HOUSING
B-302-11
WHITE HOUSING



10" EMPTY SHELL
(BLUE CAP)
B-302-12
CLEAR HOUSING
B-302-6
WHITE HOUSING



10" EMPTY SHELL
(GREEN CAP)
B-302-14
CLEAR HOUSING
B-302-15
WHITE HOUSING



THE FILLING EMPTY SHELL(1/4")
(W)70MM(L)300MM
C-308-8 CLEAR SHELL
C-308-9 WHITE SHELL



THE FILLING EMPTY SHELL(1/4")
(W)50MM/(L)270MM
B-302-3 CLEAR SHELL
C-302-6 YELLOW SHELL
B-302-2 WHITE SHELL
B-302-9 GREEN SHELL
B-302-20 5" SHELL (EZ)
B-302-21 5" SHELL

沐浴過濾器 Shower Filters



A-181
HANDY SHOWER SPRAY
(CASO3 & FAR INFRARED ENERGY)



A-181-1
THE REPLACEMENT OF
HANDY SHOWER SPRAY
(CASO3 & FAR INFRARED ENERGY)



A-181-5
EASY INSTALLATION 4 IN 1
SHOWER FILER (FAMILY MEMBER 3~5)



A-189-3
SHOWER FILTER SET
(KDF+CARBON+CASO3)



A-189-4
THE REPLACEMENT OF
SHOWER FILTER SET

【BACTERIA FREE】



A-121-6
SINGLE STAGE UF
WATER PURIFIER



A-122-9
1 STAGE CERAMIC
WATER PURIFIER

R.O.零件 R.O. Accessories



C-152
6080 FAIRY WATER PUMP
(1.2LPM/125PSI)



C-152-6
6088 AQUA-WIN PUMP
(1.2LPM/125PSI)



C-155-1
HIGH FLOW PUMP
110VAC



C-154
8005 HIGH FLOW PUMP
(150PSI)36VDC/48VDC



C-154-3
TWIN BOOSTER PUMP
(50LPM)(48VDC)(150PSI)



C-286
TRIANGLE DIAPHRAGM
(FOR 6088 & 6080 PUMP)



C-214
LOW PRESSURE
SWITCHES (1/4"NPT)



C-214-1
EZ LOW PRESSURE
SWITCHES(1/4"NPT)



C-212-2
HIGH PRESSURE
SWITCHES (1/4"NPT)



C-212-3
EZ HIGH PRESSURE
SWITCHES (1/4"NPT)



SOLENOID VALVE 1/4"
C-216-7 (110V)
C-216-9 (220V)
C-216-10 (DC24V)
C-216-13 (110V) (EZ)
C-216-14 (DC24V) (EZ)



SOLENOID VALVE /
AC 1/4"
C-216 (110V)
C-216-1 (220V)
C-216-3 (DC24V)



SOLENOID VALVE / AC
C-217 (110V) 3/8"
C-217-1 (220V) 3/8"
C-218-4 (110V) 1/2"
C-219 (110V) 3/4"
C-220-2 (110V) 1"PT



C-265-3
AUTOMATIC SHUT-OFF
VALVES (1/4"NPT)



C-265-2
EZ AUTO SHUT-OFF
VALVES (1/4"NPT)



C-275-15
PORTABLE PH TESTER
(WATERPROOF)

C-262-3
PORTABLE ORP TESTER



C-275
PORTABLE TDS-3 TESTER
(MADE BY HM DIGITAL)



C-294
PORTABLE TANK
PRESSURE TESTER



IC CONTROLLER
(NO LED) (AUTO FLUSH)
C-237 (110V)
C-237-1 (220V)



TDS DISPLAY IC
CONTROLLER
(AUTO FLUSH)
C-239-2 (110V)
C-239-4 (220V)



HOUSING SPANNER
WRENCHES (O TYPE)
C-272 (For 10")
C-274-2
(For 10" & 20" BIG FAT)
C-272-2
(For 400G RO HOUSING)
C-128-21 (FOR HY-8035)



HOUSING SPANNER
WRENCHES (O TYPE)
C-274-1 (For 20")
C-273-1 (For 10")
(MEDIUM HOUSING)
C-274-3 (FOR 10" &
20" BIG FAT)



C-272-1
HOUSING SPANNER
WRENCHES



SINGLE CLAMP
C-231 (SMALL 2")
C-233 (BIG 2.5")
C-233-2 (For 400G
MEMBRANE HOUSING)
C-235
(FOR FLOW RESTRICTOR)



DOUBLE CLAMP
C-232 (2"/2.5")
C-233-1 (2.5"/2.5")
C-234 (2"/2")
C-233-3 (For 400G
MEMBRANE HOUSING+
POST CARBON)

Aqua-Win®
Pure Water System



PUMP TRANSFORMER
C-159 (36VDC/110V)
C-159-1 (36VDC/220V)
C-156 (24VDC/110V)
C-157-2 (24VDC/220V)
C-160 (48VDC/110V/1.8A)
C-160-1 (48VDC/220V/1.8A)



THE CAP OF EVER
FILTER (BLACK)
(MADE IN TAIWAN)
A-519-2
(STEEL RING)
A-519-7
(PLASTIC RING)



THE CAP OF
EVERPURE FILTER
(SILVER)
(MADE IN TAIWAN)
A-519-11 (RING)
A-519-12 (NO RING)



C-173
THE CAP OF 6088
& 6080 & 8000
PUMP (1041X)



PAE EG TANK
BALL VALVE
C-226-1 (1/4")
C-226-2 (3/8")



C-225
PVC FLUSH VALVE
(1/4" NPT)



C-285-3
DRAIN CLAMP 1/4"
(EZ)



C-285-2
DRAIN CLAMP
(1/4")



ELECTRONIC COLOR
TESTER (110V/220V)
C-278 (2 FLAT PINS)
C-278-3 (2 ROUND PINS)



C-264-1
WATER CUT-OFF
AND FLOW RATE
ADJUSTOR (3/8")



C-291-9
CUT-DOWN
PRESSURE
VALVE (PLASTIC)
1/4"NPT



CUT-DOWN PRESSURE
VALVE (COPPER)
(1/4") **C-291-4**
(1/2") **C-291-10**



C-291-14
CUT-DOWN
PRESSURE
VALVE
(PLASTIC)
1/4"NPT



C-171
THE CAP OF C-169-1
1/2 HP PUMP
(PROCOM HEAD)
CO1504X"



C-172
THE HEAD OF C-170 1 HP
PUMP (PROCOM CAP)
2507X"



BOOSTER PUMP
(INNER REVOLUTION)
C-169-1
(1/2HP) (110V/220V/60HZ)
C-170
(1HP) (1-WAY CIRCUIT)
(110V/220V/60HZ)
C-170-4
(3HP) (3-WAY CIRCUIT)



RAW WATER PRESSURIZED
PUMP
C-174 (1/2HP)
C-174-1 (1/4HP)

R.O.零件 R.O. Accessories

Aqua-Win®
Pure Water System



WATER PRESSURE GAUGE
C-304-6
1.5"(10KG) (1/8") (EZ)
C-304-7
2.5"(10KG) (1/4")
(For FEED WATER)
C-304-11
2.5"(15KG) (1/4")
(For OPERATING)



WATER PRESSURE GAUGE (1/4")
C-304 (10KG) (150PSI)
C-304-1 (20KG) (300PSI)



C-304-12
WATER PRESSURE GAUGE
(10KG/150PSI*1/8"PT)



C-304-2
WATER PRESSURE GAUGE (10KG/PSI)
(1/8"NPT)



DIGI-FLOW
WATER CAPACITY & TIMING SETTING
C-263-4 (3/8")
C-263-6 (3/4")
C-263-7 (1/4")



FLOW METER
C-262 2GPM (10LPM)
C-263 5GPM (20LPM)
C-264 10GPM (40LPM)
C-263-1 16GPM (64LPM)
C-263-2 20GPM (80LPM)



C-229
BRASS BALL VALVE
1/4" NPT



C-230
BRASS BALL VALVE
3/8" NPT



C-229-1
BRASS BALL VALVE 1/4" NPT (1/2*1/4)
C-230-1
BRASS BALL VALVE 3/8" NPT (1/2*3/8)



C-901-3
UNIVERSAL FAUCET ADAPTOR 2.24*22MM



RUBBER FAUCET ADAPTOR
C-901-1 (WHITE)
C-901-9 (BLACK)



C-938
FAUCET ADAPTER
1/2"



C-289-2
SHOWER ADAPTER
(1/2" FEMALE THREAD)
(45°ANGLE)



C-933-1
L TYPE COPPER CONNECTER
(1/4" NPT)
(3/8" STEM)



C-933-3
L TYPE COPPER CONNECTER 1/4"



C-228
FAUCET ADAPTER
(1/4"; 3/4")



FAUCET ADAPTER
C-227 (1/4",1/2") (62MM)
C-227-4 (1/4", 3/8") (38MM)
C-227-3 (1/4", 3/8") (62MM)



STAINLESS STEEL MIXER VALVE 1/4"
C-283-3 (EZ)
C-283-2 (JACO)



C-283-6
ROUND CAP STAINLESS STEEL MIXER VALVE 1/4"



C-283-5
INLET CROSS ADAPTER (1/4")



C-230-4
CONTROL VALVE 1/4"



SINGLE WAY SWITCH
C-930-9 (1/4")
C-930-2 (3/8")



DOUBLE WAY SWITCH
C-930-1 (3/8")
C-930-8 (1/4")



C-930-7
DOUBLE-WAY SWITCH + CAP (1/4")
C-930-6
SINGLE WAY SWITCH + CAP (1/4)"



A-158-4
5-WAY VALVE
A-158-6
MANUAL 3-WAY VALVE
(BORE: 2.5") (IN/OUT: 1")
(1 IN 2 OUT)



2-WAY VALVE
C-289 (BORE: 2.5")
(IN-OUT 1")
C-289-6 (BORE: 4")
(IN-OUT 1.5")



FLOW RESTRICTOR (1/4")(@60 PSI)
C-222 (300)
C-221 (400)
C-224-2 (500)
C-224-3 (600)



FLOW RESTRICTOR (1/4")(@60 PSI)
OUTER THREAD
C-222-1 (300)
C-221-1 (400)
C-224-9 (500)
C-224-10 (600)



EZ FLOW RESTRICTOR (1/4")
C-222-10 (300)
C-222-5 (350)
C-221-5 (400)
C-224-6 (500)
C-222-11 (550)
C-224-5 (600)



PVC FLUSH VALVE & FLOW RESTRICTOR
C-225-7 (250)
C-225-9 (300)
C-225-6 (400)
C-225-10 (500)
C-225-8 (600)
C-225-11 (700)



C-226-17
PRESSURIZED FLUSH VALVE + FLOW RESTRICTOR (1/4")
(NUT INCLUDED)



PLASTIC TUBE
300M
C-244 WHITE (1/4")
C-245 BLUE (1/4")
C-244-3 BLACK (1/4")
C-244-4 RED (1/4")
C-244-5 YELLOW (1/4")
C-244-7 GREEN (1/4")
C-244-8 ORANGE (1/4")

150M
C-246 WHITE (3/8")
C-247 BLUE (3/8")
C-247-4 ORANGE (3/8")

75M
C-244-B BLUE (1/2")



C-936
TUBBING CUTTER



C-230-2
NEEDLE VALVE 1/4"(2 BARS)



C-230-3
NEEDLE VALVE 1/4"

濾材 Cartridge Filters



B-103-2 5" PP (5U)
B-103-8 10" PP (5U)
B-103-13 10" PP (5U)NSF
B-119-8 20" PP (5U)
B-119-12 20" PP (5U)NSF
B-127 30" PP (5U)
B-129 40" PP (5U)



B-103-3 5" PP (1U)
B-104-1 10" PP (1U)
B-101-5 10" PP (1U)NSF
B-119-9 20" PP (1U)
B-119-13 20" PP (1U)NSF
B-128 30" PP (1U)
B-130 40" PP (1U)



PP FURROW
B-125-6 10"(5U)
B-125-7 10"(1U)
B-119-10 20"(5U)
B-119-11 20"(1U)

PP LINE
B-125-2 10"(5U)
B-125-5 10"(1U)
B-174-7 20"(5U)
B-127-1 20"(1U)



PLEATED DEPTH FILTER
B-105-1 10"
B-105-15 20"



WOUND FILTER
B-116 10"
B-116-1 20"



PURTREX PP FILTER (MADE in USA)
B-101-2 10" PX-5M
B-101-3 10" PX-1M
B-123 20" PX-5M
B-124 20" PX-1M



B-220-1
10" DOUBLE-DECKED PP & CARBON FILTER (RAISED END SIDE)



B-219
10" DOUBLE-DECKED PP & CARBON FILTER (FLAT 2 SIDE)



ABSOLUTE FILTER (0.45M)
B-105-10 10"
B-105-8 20"



UDF GRAIN CARBON FILTER
B-203-2 10"
B-223 20"



B-204-1
10" GAC GRAIN CARBON FILTER



B-204
10" T33/934 GRAIN CARBON FILTER



T33 GRAIN CARBON FILTER
B-204-2 10"
B-222-1 20"



B-205
10" OMNIPURE OCB934/T33 GRAIN FILTER (MADE in USA)



B-202
10" T33/OCB GRAIN CARBON FILTER



B-601-7
10" BAMBOO CARBON FILTER



KKS BLOCK CARBON FILTER
B-201-3 10"
B-224-20 20"



KA BLOCK CARBON FILTER
B-208-6 5"
B-210-5 10"
B-224-14 20"



B-210
10" KA BLOCK CARBON FILTER (NSF)



MATRIKX CTO/2 CARBON (MADE in USA)
B-210-1 10"

Aqua-Win®
Pure Water System

L:285MM D:60MM



K33 DISPOSABLE CARBON FILTER
B-217-2
B-218-7 (EZ)



K33 DISPOSABLE PRE-FILTER (TRANSLUCENT)
B-218-3
B-218-2 (EZ)



K33 DISPOSABLE RESIN FILTER
B-217-1
B-218-8 (EZ)
B-215-7
DEIONIZATION (DI) (Water 0 PPM)



K33 DISPOSABLE PRE-FILTER (WHITE)
B-218-1
B-218-6 (EZ)



B-301-2
10" TRANSPARENT RESIN FILTER RSN (RECYCLABLE)
B-301-4 (DI)
(Water 0 PPM)



B-301-1
10" RESIN FILTER RSN (WHITE SHELL) (RECYCLABLE)
B-303-5 (DI) (Water 0 PPM)



B-301-3
SOLVENT-FREE RESIN FILTER (RECYCLED)
Water Hardness Improved & Heavy Metal Removed



B-314-3
10" TWIST GRAIN CARBON FILTER (1/4"NPT)



B-314-4
10" TWIST BLOCK CARBON FILTER (1/4"NPT) NET COVERED



B-314-18
10" TWIST BLOCK CARBON FILTER (1/4"NPT)



B-314-2
10" TWIST SEDIMENT PP FILTER (1/4"NPT)



10" INSERT BLOCK CARBON FILTER
B-314-28
NET COVERED
B-314-29
NON-NET COVERED



B-314-26
10" INSERT SEDIMENT PP FILTER



B-314-27
10" INSERT GRAIN CARBON FILTER



B-314-15
10" TWIST BLOCK CARBON FILTER (3/8"NPT)



B-314-16
10" TWIST GRAIN CARBON FILTER (3/8"NPT)



B-314-14
10" TWIST SEDIMENT PP FILTER (3/8"NPT)



Filter replacement without shutting off water switch





C-143-12

TWIST-IN DISPOSABLE FILTER
B-217-12 PP(TRANSLUCENT)
B-217-13 PP
B-217-14 GAC/UDF GRAIN CARBON
B-217-15 BLOCK CARBON
B-217-16 RESIN
C-143-12 THE CAP

B-217-18 UF
B-217-21 UF (TRANSLUCENT)
B-217-19 RO MEMBRANE
B-217-20 DI(WATER 0 PPM)
B-217-22 PH

濾材 Cartridge Filters

Aqua-Win®
Pure Water System



IN-LINE CL-10
POST CARBON
FILTER(1/4"NPT)
B-214
B-215-1 (NSF)
B-215-5 (EZ)
B-213-4 (EZ) (NSF)
B-213-6 (BLOCK)
B-213-7 (BLOCK)
(NSF)



B-601-6
BAMBOO POST
CARBON FILTER
(1/4"NPT)



B-216
OMNIPURE CL-10
/ ROT33 CARBON
FILTER (1/4"NPT)
(Made in USA)



B-215
IN-LINE CL-10 T33
CARBON(1/4"NPT)
(L:264MM)



IN-LINE PF-5
PPFILTER (1/4"NPT)
(L:254MM)
B-126 SHELL
WHITE
B-126-1
TRANSLUCENT
SHELL



6" IN-LINE FILTER
(15CM)
B-226 PP
B-226-1 CARBON



Nano Silver Filter





NANO-SILVER BLOCK
CARBON FILTER
(ANTI-BACTERIA)
B-210-7 10"
B-210-8 20"



BIG FAT NANO-
SILVER BLOCK
CARBON FILTER
(ANTI-BACTERIA)
B-224-18 10"
B-224-19 20"



B-215-9
IN LINE CL-10 NANO-
SILVER CARBON
FILTER



B-314-13
10" NANO-SILVER
ACTIVATED CARBON
FILTER(1/4")
(SCREW-IN)



RO-NF MEMBRANE
60~80%
B-401-4 ALR50G
B-401-7 ALR140G
B-401-8 ALR240G



FILMTEC RO
MEMBRANE
(MADE in USA)
B-403 50G
B-405 75G
B-405-1 100G



AQUA-WIN RO
MEMBRANE
B-401-17 400G



RO MEMBRANE
(NSF MATERIAL)
B-401-3
AQUA-SAFE 50G
(TW30-1810-50)
(SHORT)
B-405-7
KING-PRO 50G
B-401-9
AQUA-WIN 80G
B-401-10
AQUA-WIN 100G
B-405-12
AQUA-WIN 180G



AQUA-WIN RO
MEMBRANE
(Made in Taiwan)
B-407-2
2521"(250G)
B-408-3
4021"(800G)
B-411-7
4040"(1500G)



B-405-10
KING-PRO 50G RO
MEMBRANE
(NANO-SILVER)



B-317-19
IN-LINE UF MEMBRANE
(L: 255MM /ϕ: 50MM)



UF MEMBRANE
(UDF TYPE)
B-317-18 10"
B-317-21 20"

【WASHABLE】




B-314-17
EXPOSED UF MEMBRANE
(1/4"NPT)
(L: 254MM/ϕ: 48MM)
B-302-7
THE WHITE HOUSING
of B-314-17

Main performance indices

- Membrane material : Polypropylene (PP)
- Porosity : 40~50%
- Membrane bore diameter : 0.01~0.1 μm
- Operation temperature : 4~40°C
- PH : 0~14

Comparison of Filtration Square Measure





BIG FAT PLEATED
DEPTH FILTER
B-105-5 10"
B-105-2 20"



BIG FAT PP FILTER(5U)
B-117-3 10"
B-117-1 20"



KA BIG FAT BLOCK
CARBON FILTER
B-224-16 10"
B-224-17 20"

KKS BIG FAT BLOCK
CARBON FILTER
B-209-3 10"
B-224-5 20"



BIG FAT T33 GRAIN
CARBON FILTER
B-224-15 10"
B-224-11 20"



BIG FAT RESIN
FILTER(RSN)
B-303-3 10"
B-303-2 20"



B-304-5
20" RESIN
FILTER(MJ)



EVERPURE
CARTRIDGE
(MADE in USA)
B-322 MC(2)
B-311-6 MH(2)
B-310-2 I2000(2)
B-311-2 I4000/I4000(2)



EVERPURE
CARTRIDGE
(MADE in USA)
B-309 S-100
B-311-1 H-100
B-309-3 S-104
B-309-4 H-104
B-309-2 4C
B-310-4 BH(2)



EVERPURE
CARTRIDGE
(MADE in USA)
B-309-5 S-54
B-309-7 H-54



CERAMIC FILTER
B-314-12 10"
(MADE BY DOULTON)
B-131 10"
(MADE IN TAIWAN)
B-131-1 20"
(MADE IN TAIWAN)



10" CERAMIC FILTER
B-314-1 (MADE IN TAIWAN)
B-314 (MADE BY DOULTON)





C-128-28



2.5" TRIPLE THREAD DISPOSABLE
FILER (FOR HY-8088)
B-314-31 PP
B-314-32 GAC
B-314-33 CTO
B-314-34 RESIN
B-314-35 UF MEMBRANE
B-314-36 DI (WATER 0 PPM)
C-128-28 THE CAP

濾 材 Cartridge Filters



B-215-6
IN-LINE POST DEIONIZATION (DI) FILTER(1/4" NPT) (WATER 0 PPM)



B-304
20" DEIONIZATION (DI) FILTERS (WATER 0 PPM)



B-303-6
20" BIG FAT DEIONIZATION (DI) FILTERS (WATER 0 PPM)



B-501
IN-LINE MINERAL STONE FILTER (TRANSPARENT) (1/4"NPT)



B-502
IN-LINE MINERAL STONE FILTER (1/4"NPT)



B-503-1
IN-LINE 4 IN 1 FILTER (1/4"NPT)



B-213-3
IN-LINE INFRA-RED FILTER(1/4" NPT) (GREEN HOUSING)



B-505
IN-LINE INFRA-RED FILTER (4 TUBES INSIDE) (1/4" NPT) (TRANSPARENT)



B-503-2
IN-LINE INFRA-RED FILTER (4 TUBES INSIDE) (1/4" NPT)



OMNIPURE E-Series FILTER (MADE in USA)
B-309-6 E5515-P
Removed:
Cysts
Lead
Scale
Taste
Odor
Chlorine



B-601-8
ALKALINE PH POST FILTER(1/4" NPT) (PH 8.00~9.50)




B-101
ELIMINATION LIMESCALE FILTER(1/4" NPT)



B-507-7
ORP ALKALINE FILTER (T808)(1/4" NPT) (-150MV ~ -250MV)

Change the water PH value into 8.5-9.0 and water from a positive potential to negative potential (approximately-150~-250 mV)



出水口 Faucets



C-901- 4
FAUCET EXTENDER 3" (WITH NUTS)
C-240- 7
FAUCET SCREWDRIVER (H: 375MM)



C-240
GOOSE FAUCET (BLACK PRESS BUTTON) 1/4"NPT



C-240-6
GOOSE FAUCET (WHITE PRESS BUTTON) 1/4"NPT



CERAMIC FAUCET (GOLDEN HEAD 1/4"NPT)
C-241
3 GOLDEN POINTS
C-241-17
2 GOLDEN POINTS



CERAMIC FAUCET (SILVER HEAD) 1/4"NPT
C-241-7
3 GOLDEN POINTS



C-241-5
SINGLE-HANDLE VASE FAUCET(1/4"PT)



C-241-13
AMERICAN STYLE FAUCET(1/4"NPT)(M)



C-241-9
AMERICAN STYLE FAUCET(BIG)(1/4"PT)



C-241-10
AMERICAN STYLE DOUBLE CONTROL FAUCET (COLD/HOT)



C-241-14
SINGLE-HANDLE VASE FAUCET(1/4"NPT)



C-241-15
AMERICAN STYLE FAUCET(BIG)(1/4"NPT)



C-241-16
EGG HANDLE STYLE FAUCET(1/4"NPT)



C-241-6
MINI AMERICAN STYLE FAUCET 1/4"NPT



C-241-4
MINI AMERICAN STYLE BEND FAUCET 1/4"NPT



C-934
N TYPE FAUCET



C-934-4
L TYPE FAUCET INCLUDING CONNECTOR 1/4"

The picture is only for reference,please make the object as the standard.



PRESSURIZED WATER BUTTON for WATER DISPENSER (COLD/WARM/HOT)
C-248: FOR D-406 Dispenser
C-248-1: FOR389 / ST188 Dispenser
C-248-3: FOR 3013 Dispenser



C-242-13
ACID WATER FAUCET (3/8"NPT)



C-311
STRAIGHT FOUNTAIN FOR A-173-5 & A-173-7 & A-173-8

C-243-2



C-243-3



3-IN-1 FAUCET
C-243-2 SWAN TYPE(3/8" NPT)
C-243-3 PENGUIN TYPE(3/8" NPT)

鐵架、鐵片 Brackets



3 STAGE BIG FAT
STAND BRACKET
C-208-6 (10")
C-208-5 (20")



C-208-2
2 STAGE BIG FAT
STAND BRACKET (20")



C-208-4
2 STAGE BIG FAT
STAND BRACKET (10")



C-201-9
3 STAGE EVER
STAND BRACKET(10")



C-201-10
2 STAGE EVER
STAND BRACEKT(10")



C-203
20" RO STAND
BRACKET



C-201-3
10" RO STAND
BRACKET(FULL BACK)



C-201-1
10" RO STAND
BRACKET (FULL BACK)



C-201-13
10" RO STAND
BRACKET
(WITH WATER
PRESSURE
GAUGE HOLE)



C-201-11
10" RO STAND BRACKET
(NO WATER PRESSURE
GAUGE)



C-206
C-205

10" EVER BRACKET
C-206 (3 STAGE)
C-205 (2 STAGE)



C-204
SI DE BRACKET
FOR PUMP



C-205-2
C-207
C-207-1

2 STAGE BRACKET
C-205-2 (10")
C-207 (20")
C-207-1 (20") (BIG FAT)



C-210
C-210-1

SINGAL STAGE
WALL-MOUNTED BRACKET
C-210 (FOR 10" & 20" HOUSING)
C-210-1 (FOR 10" & 20" BIG FAT HOUSING)



C-206-1



C-201

RO BRACKET
C-201 (10")
C-206-1 (ㄇ TYPE)



C-206-2
C-208 **C-208-1**

3 STAGE BRACKET
C-206-2 (10")
C-208 (20")
C-208-1 (20")(BIG FAT)



C-209-4
C-209-2 **C-209-1**

C-209-4
FAUCET WALL-MOUNTED
RING

FAUCET WALL-MOUNTED
RING 3/8" & 1/4"
C-209-1 (METAL)
C-209-2 (PLASTIC)

傳統接頭 Jaco Fittings



Male Connector

MODEL No.	Description	Tube	Thread
C-904	10-4-2 Male connector	1/4"	1/8"
C-903	10-4-4 Male connector	1/4"	1/4"
C-906	10-4-6 Male connector	1/4"	3/8"
C-911	10-4-8 Male connector	1/4"	1/2"
C-907	10-6-4 Male connector	3/8"	1/4"
C-908	10-6-6 Male connector	3/8"	3/8"
C-912	10-6-8 Male connector	3/8"	1/2"



Male Elbow

MODEL No.	Description	Tube	Thread
C-914	40-4-2 Male elbow	1/4"	1/8"
C-914-1	40-6-8 Male elbow	3/8"	1/2"
C-913	40-4-4 Male elbow	1/4"	1/4"
C-913-1	40-4-4 Q Male elbow (Including O-ring)	1/4"	1/4"
C-916	40-4-6 Male elbow	1/4"	3/8"
C-917	40-6-4 Male elbow	3/8"	1/4"
C-918	40-6-6 Male elbow	3/8"	3/8"



Unior Connector

MODEL No.	Description	Tube	Thread
C-905	15-4-4 Unior connector	1/4"	1/4"
C-909	15-6-4 Unior connector	1/4"	3/8"
C-910	15-6-6 Unior connector	1/4"	3/8"
C-910-6	15-6-8 Unior connector	3/8"	1/2"
C-910-7	15-8-8 Unior connector	1/2"	1/2"



Male Elbow

MODEL No.	Description	Tube	Thread
C-913-3	50-4-4 Male elbow	1/4"	1/4"
C-913-7	50-6-6 Male elbow	3/8"	3/8"
C-913-8	50-8-8 Male elbow	1/2"	1/2"



Male Connector

MODEL No.	Description	Tube	Thread
C-915-2	25-4-2 Male connector	1/4"	1/8"
C-915-3	25-4-4 Male connector	1/4"	1/4"



Male Run Tee

MODEL No.	Description	Tube	Thread
C-919	75-4-4 Male run tee	1/4"	1/4"
C-922-2	75-6-4 Male run tee	3/8"	1/4"
C-922	75-6-6 Male run tee	3/8"	3/8"
C-922-1	76-4-4 Male run tee	3/8"&1/4	1/4"



Male Branch Tee

MODEL No.	Description	Tube	Thread
C-920-2	60-4-2 Male branch tee	1/4"	1/8"
C-921	60-4-4 Male branch tee	1/4"	1/4"
C-925	60-6-4 Male branch tee	3/8"	1/4"
C-924	60-6-6 Male branch tee	3/8"	3/8"
C-924-1	60-8-6 Male branch tee	1/2"	3/8"
C-924-2	60-8-8 Male branch tee	1/2"	1/2"



Central Connector

MODEL No.	Description	Tube
C-926	CC-2W PP central connector	1/4"
C-926-1	CC-2W PP central connector (Including O-ring)	1/4"
C-927	CC-3W PP central connector	3/8"
C-928	CC-4W PP central connector	1/2"
C-928-1	CC-4W PP central connector (Including O-ring)	1/2"
C-929	CC-4W PP central connector	3/4"
C-929-1	CC-1 PP central connector	1"



Female Elbow

MODEL No.	Description	Tube	Thread
C-915	45-4-2 Female elbow	1/4"	1/8"
C-915-1	45-4-4 Female elbow	1/4"	1/4"



Union Tee

MODEL No.	Description	Tube
C-920	70-4-4 Union tee	1/4"
C-923	70-6-6 Union tee	3/8"
C-920-5	70-8-8 Union tee	1/2"



Tubing Inserts

MODEL No.	Description	Tube
C-939	PI-01 Tubing Inserts	1/4"
C-939-4	PI-02 Tubing Inserts	3/8"



Drainage Adapter

MODEL No.	Description	Tube
C-285	Drainage Adapter	1/2"

快接接頭 EZ Fittings

Aqua-Win®
Pure Water System



Male Connector

MODEL No.	PART No.	Tube O.D	NPTF Thread
C-904-8	MC0402	1/4"	1/8"
C-604-7	MC0404	1/4"	1/4"
C-904-12	MC0406	1/4"	3/8"
C-904-14	MC0604	3/8"	1/4"
C-904-15	MC0606	3/8"	3/8"
C-904-16	MC0608	3/8"	1/2"



Male Elbow

MODEL No.	PART No.	Tube O.D	NPTF Thread
C-904-7	ME0402	1/4"	1/8"
C-913-4	ME0404	1/4"	1/4"
C-904-10	ME0406	1/4"	3/8"
C-904-17	ME0604	3/8"	1/4"
C-918-2	ME0606	3/8"	3/8"
C-904-18	ME0608	3/8"	1/2"



Union Connector

MODEL No.	PART No.	Tube O.D	Tube O.D
C-921-12	UC0404	1/4"	1/4"
C-921-15	UC0604	3/8"	1/4"
C-910-1	UC0606	3/8"	3/8"



Union Elbow

MODEL No.	PART No.	Tube O.D	Tube O.D
C-921-11	UE0404	1/4"	1/4"
C-909-2	UE0604	3/8"	1/4"
C-910-3	UE0606	3/8"	3/8"



Faucet Connector

MODEL No.	PART No.	Tube O.D	UNF Thread
C-921-5	FA04-716	1/4"	7/16"
C-915-8	FA06-716	3/8"	7/16"
C-915-9	FA0404	1/4"	1/4"



Male Branch Tee

MODEL No.	PART No.	Tube1	Tube2	NPTF Thread3
C-921-7	MBT0404	1/4"	1/4"	1/4"
C-918-3	MBT0606	3/8"	3/8"	3/8"



Male Run Tee

MODEL No.	PART No.	Tube 1	NPTF Thread	Tube 3
C-921-14	MRT0404	1/4"	1/4"	1/4"
C-923-9	MRT0604	3/8"	1/4"	1/4"



Union Tee

MODEL No.	PART No.	Tube O.D	Tube O.D	Tube O.D
C-921-9	UT0404	1/4"	1/4"	1/4"
C-904-19	UT0406	3/8"	1/4"	3/8"
C-923-8	UT0604	1/4"	3/8"	1/4"
C-923-7	UT0606	3/8"	3/8"	3/8"



Stem Adapter

MODEL No.	PART No.	Stem O.D	NPTF Thread
C-921-6	SA0404	1/4"	1/4"
C-921-19	SA0604	3/8"	1/4"
C-921-20	SA0606	3/8"	3/8"



Stem Elbow

MODEL No.	PART No.	Tube O.D	Stem O.D
C-921-13	SE0404	1/4"	1/4"
C-921-16	SE0406	1/4"	3/8"
C-910-4	SE0606	3/8"	3/8"



Main Stem Tee / Stem Branch Tee

MODEL No.	PART No.	Tube O.D	Tube O.D	Stem O.D
C-921-4	SBT0404	1/4"	1/4"	1/4"



Side Stem Tee / Stem Run Tee

MODEL No.	PART No.	Tube O.D	Tube O.D	Stem O.D
C-921-8	SRT0404	1/4"	1/4"	1/4"
C-921-18	SRT0606	3/8"	3/8"	3/8"



Stem To House Elbow

MODEL No.	PART No.	StemO.D	Stem O.D
C-904-4	4SHE4	1/4"	1/4"
C-904-5	6SHE4	1/4"	3/8"



Bulkhead Union

MODEL No.	PART No.	Tube O.D	Tube O.D
C-912-6	BU0404	1/4"	1/4"
C-921-17	BU0406	1/4"	3/8"
C-912-5	BU0606	3/8"	3/8"



Two Way Divider

MODEL No.	PART No.	Tube in	Tube out	Tube out
C-920-3	TWD0404	1/4"	1/4"	1/4"
C-920-4	TWD0606	3/8"	3/8"	3/8"



CR-Cross

MODEL No.	PART No.	Tube O.D
C-940	4CR4	1/4"
C-940-1	6CR6	3/8"



Stem Reducer

MODEL No.	PART No.	Stem Thread	Tube O.D
C-923-10	SR0406	3/8"	1/4"
C-923-11	SR0604	1/4"	3/8"



CR-Cross

MODEL No.	PART No.	O.D	Tube O.D	Tube O.D
C-291-7	CV-3344-EZ	1/4"	1/4"	1/4"
C-291-13	CV-6644-EZ	3/8"	3/8"	3/8"



Twin Connector

MODEL No.	PART No.	Tube O.D	Tube O.D
C-941	4DC4	1/4"	1/4"



Check Valve / CV-3242-EZ

MODEL No.	PART No.	NPTF Thread	Tube O.D
C-291-12	CV-3242-EZ	1/8"	1/4"



Locking Clip

MODEL No.	PART No.	Tube O.D
C-901-6	LC0004	1/4"
C-901-7	LC0006	3/8"



Check Valve / CV-3142-EZ

MODEL No.	PART No.	NPTF Thread	Tube O.D
C-291-8	CV-3042-EZ	1/8"	1/4"



Fitting Insert / Plug

MODEL No.	PART No.	Description
C-939-5	PI-02-2	1/4"



Ball Valve / EZ Fittings

MODEL No.	PART No.	UNF Thread	Tube O.D
C-226-11	CV-1144 with O-ring	1/4"	1/4"
	Ball Valve 1/4" W / EZ Fittings		
C-226-14	CV-1164 with O-ring	1/4"	3/8"
	Ball Valve 3/8" W / EZ Fittings		



Flow Restrictor

MODEL No.	The name of product	Description	
C-222-8	FR-2225-Q-EZ	250 ML	1/4 OD
C-222-9	FR-2220-Q-EZ	200 ML	1/4 OD
C-222-10	FR-5030-Q-EZ	300 ML	1/4 OD
C-222-7	FR-5042-Q-EZ	420 ML	1/4 OD
C-222-11	FR-5055-Q-EZ	550 ML	1/4 OD
C-222-12	FR-2280-Q-EZ	800 ML	1/4 OD



EZ Ball VALVE CV1466-Q

MODEL No.	NPTF Thread	Tube O.D
C-226-13	3/8"	3/8"

EZ Ball VALVE CV1444-Q

C-226-12	1/4"	1/4"



Ball Valve / EZ Fittings

MODEL No.	PART No.	Tube In	Tube Out
C-226-10	CV-1344	1/4"	1/4"
C-226-15	CV-1364	3/8"	1/4"
C-226-16	CV-1366	3/8"	3/8"

紫外線殺菌燈 UVC Lightings



Model : 1G ULTRAVIOLET WATER STERILIZER

1G UV

Specification / Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-140-4 (110V) A-140-2 (220V)	0.5Gpm / 2Lpm	1Gpm/4Lpm	50.5 x 260mm

Inlet/Outlet size	Max. Working pressure	Chamber/ housing
1/4inch NPT	125PSI	304 stainless steel



Model : 2G ULTRAVIOLET WATER STERILIZER

2G UV

Specification / Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-140 (110V) A-140-6 (220V)	1.5Gpm / 6Lpm	2Gpm /8Lpm	64 x 340mm

Inlet/Outlet size	Max. Working pressure	Chamber/ housing
1/4inch NPT	125PSI	304 stainless steel



Model : 4G ULTRAVIOLET WATER STERILIZER

4G UV

Specification / Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-141-10 (110V) A-141-5 (220V)	4Gpm/16Lpm	5Gpm/20Lpm	64 x 512mm

Inlet/Outlet size	Max. Working pressure	Chamber/ housing
1/2inch NPT	125PSI	304 stainless steel




Model : 6G ULTRAVIOLET WATER STERILIZER

6G UV

Specification / Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-141 (110V) A-141-1 (220V)	6Gpm /24Lpm	7Gpm /28Lpm	64 x 680mm

Inlet/Outlet size	Max. Working pressure	Chamber/ housing
1/2inch NPT	125PSI	304 stainless steel





Model : 12G ULTRAVIOLET WATER STERILIZER

12G UV

Specification / Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-142 (110V) A-142-5 (220V)	12Gpm /48Lpm	14Gpm /56Lpm	83 x 900mm

Inlet/Outlet size	Max. Working pressure	Chamber/ housing
3/4inch NPT	125PSI	304 or 316 stainless steel



Model : 24G ULTRAVIOLET WATER STERILIZER

24G UV

Specification / Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-191 (110V) A-191-1 (220V)	20Gpm /80Lpm	24Gpm / 96Lpm	100 x 900mm

Inlet/Outlet size	Max. Working pressure	Chamber/ housing
1inch NPT	125PSI	304 or 316 stainless steel



WATER-POSTING U.V. STERILIZER

AQUARIUM UV

A-141-7	SUV-300 UV Water Sterilizer (14W) Dimension:ö 1-1/4" x 38mm x 307 mm
A-141-8	SUV-670 UV Water Sterilizer (32W) Dimension:ö 1-1/4" x 38mm x 677 mm
A-141-9	SUV-895 UV Water Sterilizer (39W) Dimension:ö 1-1/4" x 38mm x 902 mm



THE BALLAST OF 1G/2G

C-162-4	THE BALLAST OF 1G UV 220V/6W (2 TOP PINS)
C-161-4	THE BALLAST OF 1G/2G UV 220V/14W (SINGLE TOP 4 PINS)




THE BALLAST OF 4G/6G/12G/24G

C-166	THE UV BALLAST OF 4G/6G/12G/24G (110V/220V)(24W~39W)(SINGLE TOP 4 PINS)

UV燈管&石英管

UV Lamp & Quartz Tube Sleeve



UV Lamp & Quartz Tube Sleeve Specification

Two Top Bin-Pins Horizontal Quartz Germicidal Lamp

Model No.	UV LAMP	LAMP MODELS	WATT	VOLT	CUR	DIAMETER	LENGTH
C-255-4	1G	UVC-S212T5	6W	50V	150mA	15.5mm	212mm

Single Top Four Pins Horizontal Quartz Germicidal Lamp

Model No.	UV LAMP	LAMP MODELS	WATT	VOLT	CUR	DIAMETER	LENGTH
C-255-5	1G	UVC-D212T5	14W	32V	400mA	15.5mm	212mm
C-255	2G	UVC-D287T5	14W	42V	425mA	15.5mm	287mm
C-255-10	4G	UVC-D450T5	24W	60V	425mA	15.5mm	450mm
C-256	6G	UVC-D645T5	32W	85V	425mA	15.5mm	645mm
C-257	12G / 24G	UVC-D842T5	39W	108V	425mA	15.5mm	842mm


Quartz Tube Sleeve

C-258-5	QTS-230238S	For 1G UV Lamp	23mm	238mm
C-258-1	QTS -230330	For 2G UV Lamp	23mm	330mm
C-258-6	QTS -230500	For 4G UV Lamp	23mm	500mm
C-258	QTS -230670	For 6G UV Lamp	23mm	670mm
C-259	QTS -230895	For 12G / 24G UV Lamp	23mm	895mm

Two Top Bin-Pins



Single Top Four Pins



壓力桶 Storage Tanks & 不銹鋼桶 S.S Tank




Water Storage Tank

Part No	Product name
C-102	2.0GAL STEEL TANK-WHITE (1/4" NPT)
C-101-1	2.2GAL STEEL TANK-WHITE (1/4" NPT)
C-101-3	2.2G WHITE PLASTIC TANK (1/4" NPT)
C-103	3.2GAL STEEL TANK-WHITE (1/4"NPT)
C-100	4GAL PLASTIC TANK-WHITE 1/4" NPT (19L)
C-108-2	5.5GAL STEEL TANK-WHITE (1/4" NPT)
C-110-1	11GAL STEEL TANK-WHITE (1"BSP)
C-118-1	20GAL STEEL TANK-WHITE (1"BSP)
C-118-3	28GAL STEEL TANK (1" BSP)
C-118-4	40GAL STEEL TANK (1" BSP)
C-118-2	82GAL STEEL TANK (310 LITERS) (EG TANK VALVE INCLUDED)



Stainless Steel Tank for the Softener

Part No	Product name
C-112-8	STAINLESS STEEL TANK FOR THE SOFTENER(4L) 120X370MM
C-118-9	STAINLESS STEEL TANK FOR THE SOFTENER(9L) 150X485MM
C-118-10	STAINLESS STEEL TANK FOR THE SOFTENER(13L) 150X720MM
A-159	WATER SOFTNER (STAINLESS STEEL) (1/4") 150X450MM
A-160	WATER SOFTNER (STAINLESS STEEL) (1/2") 150X590MM
A-160-1	WATER SOFTNER (STAINLESS STEEL) (1/2") 150X650MM



HIGH BASE

Stainless Steel =S.S

Stainless Steel Water Tower

Part No	Product name
C-116	200 LITERS TANK WITH HIGH BASE (60X220MM)
C-116-1	200 LITERS TANK WITH S.S. HIGH BASE (60X220MM)
C-113	200 LITERS TANK WITH LOW BASE (60X160MM)
C-113-1	200 LITERS TANK WITH S.S. LOW BASE (60X160MM)
C-114	300 LITERS TANK WITH LOW BASE (75X160MM)
C-115	500 LITERS TANK WITH S.S. LOW BASE (90X160MM)
C-115-1	1,000 LITERS TANK WITH S.S. LOW BASE (90X160MM)



Wall Mounted S.S Tank

Part No	Product name
C-112	9 LITERS TANK (FAUCET & TUBE INCLUDED)180*425 MM
C-112-1	12 LITERS TANK (FAUCET & TUBE INCLUDED)180*510 MM